

2-09 OR A-09?

USDA FOREST SERVICE

Index File No. _____

CORNER RECORD (SEARCH)

(Ref. FSM 7.151.4)

Tract or Survey No. _____

Cor. No. ~~_____~~

T. 11 S. R. 10 E.

R.D. SYSTEMS

County JEFFERSON

SE COR. of SEC. 32


Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON

NW COR. of SEC. 4

CORNER DIAGRAM PER LEGEND



DESCRIBE CORNER MONUMENT FOUND

STONE 14" X 12" 10"
RSG. 10"

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

16" W. LARCH N75°W 14 FT. MKD. THIS RISES 32 BT
28" D. FIR N16°E 21 FT. MKD.

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Corner Legend:

- Searched for/Not Found
- Evidence Found/Accept.
- Permanent Monument

Signature CM BEIL

Title F

Division _____


Headquarters _____

Date 5/52 D-7100-52 (3/79)

CORNER RECORD (PERPETUATION)

MONUMENT. DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT SET/FEED



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By PLAT PREPARED OR Title _____ Date _____ State Registration No. _____
Certified Cor. Record Prepared? Yes No Filed At: Co. SURVEYOR'S OFFICE Date _____

REMARKS

Index File No. _____ T. _____ S., R. _____ E., W. M. _____ Tract or Surv. No. _____ Cor. A-09

A-9

U. S. Department of Agriculture
FOREST SERVICE

5.0

AT

Resolute NATIONAL FOREST

CORNERS OF THE PUBLIC SURVEY

T. 12.8 R. 10 E W. 7/16 section Mer.
1/8th Section, Section Corner common to Sections

4, 5, and 33

Corner consists of a Rock (not in place)


State condition 12" x 10" x 8" (intact and stable -
square) 6 inches

Dimensions above ground

Sketch grooves, letters, figures, or notches, on proper face or edge

CARDINAL POSITION

DIAGONAL POSITION



Mound of _____ is located _____

Pits are located _____

Sketch markings of Bearing Trees (or Rocks) in proper box and fill blanks below, giving bearings from Corner to Trees and Distances in Links.

<u>210</u>			
<u>55</u>			
<u>not opened</u>			

Species P. Pine

Diameter 34"

Bearing 330° W

Distance 55 ft.

Do you believe this to be a genuine Land Office Corner? yes

If not, why? _____

Chas. M. Beil

(Signature)

May 9, 1951


(Date)

Foster

(Title)

T. 12 S. R. 10 E. W. 11 North Mer.

Make sketch of topography near Corner and show section line markers thus "X"



T 12 S

T 11 S

Metal Location Poster is on a Pine tree
 tree 3 1/2 inches diameter, on the North
 side of tree
 this Corner bears N 20° E 55' from which
 (Bearing) (Distance) (Character)
 Section line marker between Secs. 4 and 5 is on
 a Good tree on the Paite Farm is on
 (Name of road, trail, etc.)
 located 35' Chassis in top, S. from Sec. 6n; 1/2 day, 11 miles - 6n.
 (Cross out nonapplicable)
 Give any further facts needed to find Corner again:

Index
File No. _____

CORNER RECORD (SEARCH)

(Ref. FSM 7.151.4)

Tract or
Survey No. _____

Cor.
No. E-17

T. 11 S. R. 10 E. R.D. SISTERS

County JEFFERSON


SE COR. of SEC. 3

Merid. WILLAMETTE N.F. DESCHUTES

State OREGON

NW COR. of SEC. 11

CORNER DIAGRAM PER LEGEND



DESCRIBE CORNER MONUMENT FOUND

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

2 BTs
24" CEDAR MKD. T11 R10 S3 BT
12" P. PINE MKD. T11 R10 S11 BT

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____

Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

IN ALDER SPRINGS TRAIL

Corner Legend:

- Searched for/Not Found
- Evidence Found/Accept.
- Permanent Monument

Signature C.E. HEIN

Title

F.G.

Division


Headquarters

Date 10/39 D-7100-52 (3/79)

CORNER RECORD (PERPETUATION)

MONUMENT. DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT STAFFED



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____
PLAT PREPARED OR Certified Cor. Record Prepared ? Yes No Filed At: Co. SURVEYOR'S OFFICE Date

REMARKS

Index File No. T. S., R. E., W. M. Tract or Surv. No. Cor. E-17

Index File No. J 1

CORNER RECORD (SEARCH)

Tract or Survey No. _____ Cor. No. J-1


T 11S. R. 10E.,

R.D. Sisters County Jefferson Sec. Cor

Merid. Will

N.F. Deschutes State Oregon

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

Sec: J-25, T11S, R9E

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____

Agency

Signature

Title

Division

Headquarters

Date

7100-52

REV. 65 5

CORNER RECORD (PERPETUATION)

MONUMENT DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____
Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

11

REMARKS

12

Index File No. T. R. M. Tract or Surv. No. Cor. J-01

13

USDA-FOREST SERVICE

Index File No. _____

CORNER RECORD (SEARCH)

(Ref. FSM 7.151.4)

Tract or Survey No. _____

Cor. No. J-13

T. 11 S. R. 10 E. R.D. SISTERS

County JEFFERSON

SE COR. of SEC. 9


Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON

NW COR. of SEC. 15

CORNER DIAGRAM PER LEGEND



DESCRIBE CORNER MONUMENT FOUND

STONE PARTLY IN GROUND
RISING 6"

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

2 B.T.S
26" P. PINE S22°E 95 FT. MKD. T11S R10E S15 BT
15" P. PINE S28°W 12°-FT. MKD. T11S R10E S16 BT
↑ DEAD & DOWN

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

- Corner Legend:
- Searched for/Not Found
 - Evidence Found/Accept.
 - Permanent Monument

Signature CM BELL

Title F. Division _____


Headquarters _____

Date 9/53 D-7100-52 (3/79)

CORNER RECORD (PERPETUATION)

MONUMENT. DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT STAFFED



ACCESSORIES. DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. _____
or Agency _____
PLAT PREPARED OR
Certified Cor. Record Prepared? Yes No Filed At: **CO. SURVEYOR'S OFFICE** Date _____

REMARKS

Index File No. T. S., R. E., W. M. Tract or Surv. No. Cor. **J-13**

Index
File No. 2561 CORNER RECORD (SEARCH) Tract or Survey No. Cor. No. L-25
(Ref. FSM 7151.4)
T 11 S. R. 10 E. R.D. SISTERS County Jefferson E/4 Cor. of
Merid. WILLAMETTE N.F. DESCHUTES State OREGON Section 13

SEE: L-01 T. 11 S., R. 11 E., W.M.

BCSP



Index
File No. 2561 MC CORNER RECORD (SEARCH) Contract or
(Ref. FSM 7151.4) Survey No. _____ Cor. No. L-25 MC
T 11 S. R. 10 E. R.D. 31 STEPS County JEFFERSON MC Cor. of
Merid. WILLAMETTE N.F. DESCHUTES State OREGON Section 13/18

SEE: L-01 MC T. 11 S., R. 11 E., W.M.

EVID. FOUND



Index
File No. 2562

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Contract or
Survey No. _____
Cor. No. M-25

T 11 S. R. 10 E. R.D. Sisters County Jefferson S716 Cor. of
Merid. WILLAMETTE N.F. DESCHUTES State OREGON Section 13/18

SEE: M-01 T. 11 S., R. 11 E., W.M.


BCSP



Index
 File No. N 9 CORNER RECORD (SEARCH) (Ref. FSM 7151.4) Tract or Survey No. _____ Cor. No. N-9 ✓
 T 11 S R. 10 E R.D. Sisters County Jefferson SEC. COR.
 Merid. Willamette N.F. Deschutes State Oregon

CORNER DIAGRAM

DESCRIBE CORNER MONUMENT FOUND



None

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

Two Ponderosa pine bearing trees.

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
 Agency _____

Signature _____ Title _____ Division _____ Headquarters _____ Date _____ 7100-52 (3/68)

CORNER RECORD (PERPETUATION)

MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____ 11

REMARKS

12

Index File No. T. R. M. Tract or Surv. No. Cor. *N-09* 13

Index
 File No. N 13
 T 11 S R. 10 E
 Merid. Willamette


CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

R.D. Sisters County Jefferson
 N.F. Deschutes State Oregon

Tract or Survey No. _____
 Cor. No. N-13
SEC. Co R

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

None

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

One old growth pine bearing tree
One bearing tree in poor condition laying on ground

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
Agency

Signature

Title

Division

Headquarters

Date

7100-52 (3/68)

CORNER RECORD (PERPETUATION)

MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____ 11

REMARKS

12

Index File No. T. R. M. Tract or Surv. No. Cor. *N-13* 13

Index File No. _____

CORNER RECORD (SEARCH)

(Ref. FSM 7.151.4)

Tract or Survey No. _____

Cor. No. N-15

T. 11 S. R. 10

E. R.D. SISTERS County JEFFERSON


COR. of SEC. _____

Merid. WILLAMETTE

N.F. DESCHUTES State OREGON

COR. of SEC. _____

CORNER DIAGRAM PER LEGEND



DESCRIBE CORNER MONUMENT FOUND

STONE SET IN GROUND
MKD. 1/4 ON S. FACE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

2 BTS
24" P. PINE S83°E 10' FT. MKD. 1/4 S BT
27" I. CEDAR N63°E 13' FT. MKD. 1/4 S BT

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Corner Legend:

- Searched for/Not Found
- Evidence Found/Accept.
- Permanent Monument

Signature CM BELL

Title F

Division _____


Headquarters _____

Date 8/52 D-7100-52 (3/79)

CORNER RECORD (PERPETUATION)

MONUMENT DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT SET/FILED



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. _____
or Agency _____
PLAT PREPARED OR
Certified Cor Record Prepared ? Yes No Filed At: **Co. SURVEYOR'S OFFICE** Date _____

REMARKS

Index File No. T. S., R. E., W. M. Tract or Surv. No. Cor.


Index
 File No. 1763
 T 115 R. 10E
 Merid. WMT

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No. _____
 Cor. No. N-17
 County JEFFERSON
 N.F. DESCHUTES State OREGON
NW Cor/Sec 2.3

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

— NOTHING —
 PROBABLY DESTROYED DURING ROAD CONSTR.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

3 ORIG. BT'S
 MARKED FOR CUTTING

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____

Agency

Signature

Title

PLS Division ENG. Headquarters SO

Date 8/78 7100-52 (3 68)

CORNER RECORD (PERPETUATION)

MONUMENT
STAMPED:

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 30" BRASS-CAPPED STEEL PIPE RISING 14" ABOVE GROUND IN A LARGE MOUND OF STONE IN OLD LOGGING ROAD.

T115 RIOE
1514
22123
R. OMAN PLS
OR-702

9

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

- a 9" CEDAR BT'S. N 27° W 48 3/4 FT., BE'S "T115 RIOE S15 BT"
- a 6" FIR " N 65° E 24 1/2 FT., " "T115 RIOE S14 BT"
- a 6" " " DUESOUTH 28 1/2 FT., " "T115 RIOE S23 BT"
- a 10" " " S 66° W 41 1/2 FT., " "T115 RIOE S22 BT"

10

Work Done By R. OMAN Title PLS Date 8/78 State Registration No. OR-702
or Agency

Certified Cor. Record Prepared? Yes No Filed At JEFFERSON COUNTY SURVEYORS OFFICE Date 14 Aug 1978

REMARKS

Index File No. 1763 T. 115 R. 10E W.M. W.M. Tract or Surv. No. N-17 Cor. 13

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Index File No. _____

Tract or Survey No. _____

Cor. No. N-19

T 11S R. 10E

R.D. Sisters County Jefferson

S/A Cor. Sec 14

Merid. Will

N.F. Daschutes State Oregon

N/A Cor. Sec 23

CORNER DIAGRAM

DESCRIBE CORNER MONUMENT FOUND

- Nothing -
Probably Destroyed During Road Constr. ²

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

- Nothing -

6

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature ⁷

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER ³

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency ⁸

Signature Title Division Headquarters Date ⁴

Dan Sanwich

Survey Tech Eng

SA

8/78

7100-52-(3/68)

⁵

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

11

REMARKS

Index File No.

T.

R.

M.

Tract or Surv. No.

Cor. N-19 '13
☆ U.S. G.P.O. 1977-725-576/586

12

Index
 File No. 2163
 T 11 S R. 10 E
 Merid. W MT


CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or
 Survey No. _____
 Cor. No. N-21

R.D. SISTERS County JEFFERSON NE Cor/Sec 23
 N.F. DESCHUTES State OREGON

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE of SIMILAR DIMENSION
 BUT NO MARKING.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

THREE ORIGINAL BT'S, 2 BEING SNAGS,
 THIRD MARKED for CUTTING.

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
 Agency _____

Signature _____

Title PLS

Division ENG

Headquarters SO


Date 8/78 100-52 (3 68)

CORNER RECORD (PERPETUATION)

MONUMENT
STAMPED:

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 30" BRASS-CAPPED STEEL PIPE RISING 18" ABOVE GROUND
IN LARGE MOUND of STONES, ON SE SPUR of LARGE ROCK RIM
RUNNING E & W.



ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

- a 4" CEDAR BRS. N 63° W 31 3/4 FT., B & S "T115 R10E S14 BT"
- a 12" PONDEROSA PINE BRS. N 89° E 67° FT. on slope, B & S "T115 R10E S13 BT"
- a 6" CEDAR BRS. S 67° E 51° FT. on slope, B & S "T115 R10E S24 BT"
- a 6" PONDEROSA PINE BRS. S 08° W 22° FT., B & S "T115 R10E S23 BT"

Work Done By ROMAN Title PLS Date 8/78 State Registration No. OR-702
or Agency
Certified Cor. Record Prepared? Yes No Filed At JEFFERSON COUNTY SURVEYORS OFFICE Date 14 Aug 1978

REMARKS

Index File No. 2163 T. 11S R. 10E WM. Tract or Surv. No. Cor. N-21

Index

File No. 2563

CORNER RECORD (SEARCH) on Tract or

(Ref. FSM 7151.4)

Survey No. _____

Cor.

No. N-25

T 11 S. R. 10 E. R.D. SISTERS

County Jefferson

SE

Cor. of

Merid. WILLAMETTE N.F. DESCHUTES

State OREGON

Section 13

SEE: N-01 T. 11 S., R. 11 E., W.M.

BCSP



Index
File No. P 9

CORNER RECORD (SEARCH)


(Ref. FSM 7151.4)

Tract or Survey No. _____
Cor. No. P-09

T 11 S R. 10 E R.D. Sisters County Jefferson E/4 Cor Sec 20
Merid. Willamette N.F. Deschutes State Oregon W/4 Cor Sec 21

CORNER DIAGRAM

DESCRIBE CORNER MONUMENT FOUND



None

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

Two bearing trees

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature _____ Title _____ Division _____ Headquarters _____ Date _____ 7100-52 (3/68)

CORNER RECORD (PERPETUATION)

MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

11

REMARKS

Index File No. T. R. M. Tract or Surv. No. Cor. *P-09*

12

13

Index
File No. P 13

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or
Survey No. _____

Cor. No. P-13

T 11 S R. 10 E

R.D. Sisters

County Jefferson

E/4 Cor Sec 21

Merid. Willamette


N.F. Deschutes

State Oregon

W/4 Cor Sec 22

CORNER DIAGRAM

DESCRIBE CORNER MONUMENT FOUND



None

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

One bearing tree stump in very poor condition

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature

Title

Division

Headquarters

Date

7100-52 (3/68)

CORNER RECORD (PERPETUATION)

MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES : DESCRIBE NEW B^T's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

11

REMARKS

12

Index File No. T. R. M. Tract or Surv. No. Cor. *p-13* 13

Index File No. 1765

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No. _____

Cor. No. P-17

T 11 S R. 10 E

R.D. SISTERS County JEFFERSON


~~WA~~ CoR / SEC 23

Merid. WMT

N.F. DESCHUTES State OREGON

~~E/A~~ CoR / Sec 22

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE of PROPER DIMENSION
BUT NO MARKING

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

BOTH ORIGINAL BT'S
MARKED FOR CUTTING

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

a 16" Ponderosa PINE BRG. S48°W 28 FT., B/S "1/4 S BT"
an 18" " " " S42°E 154 FT., B/S "1/4 S BT"

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Signature

Title

Division

Headquarters

Date

7100-52 (3 68)

PLS

ENG

SO


8/78

CORNER RECORD (PERPETUATION)

MONUMENT
STAMPED:

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 30" BRASS-CAPPED STEEL PIPE RISING 10" ABOVE
GROUND IN A MOUND OF STONES.



9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

a 6" CEDAR BRS. N02°W 14' FT., B&S "1/4 S22 BT"

a 6" " " S62°E 36 1/4 FT., B&S "1/4 S23 BT"

10

Work Done By. R. ROMAN Title PLS Date 8/78 State Registration No. OR-702
or Agency

Certified Cor. Record Prepared? Yes No Filed At JEFFERSON COUNTY SURVEYORS OFFICE Date 14 Aug 78

REMARKS

12

Index File No. 1765 T. 115 R. 10E W. M. Tract or Surv. No. Cor. P-17

13

Index File No. 2165

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No. _____

Cor. No. P-21

T 11 S R. 10 E

R.D. SISTERS

County JEFFERSON

E/4 Cor / Sec 23


Merid. WMT

N.F. DESCHUTES

State OREGON

W/4 Cor / Sec 24

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE of PROPER DIMENSION
BUT NO MARKING

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

ONE BT, a SNAG

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature

Title

PLS

Division

ENG

Headquarters

SO

Date 8/78


7100-52 (3 68)

CORNER RECORD (PERPETUATION)

MONUMENT
STAMPED:

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 30" BRASS-CAPPED STEEL PIPE RISING 10" ABOVE GROUND IN A MOUND OF STONES.



9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

a 6" FIR BRS. N 64° W 105 FT., B&S "1/4 S23 BT"
a 6" CEDAR BRS. N 63° E 39 FT., B&S "1/4 S24 BT"

10

Work Done By R.OMAN Title DCS Date 8/78 State Registration No. or Agency OR-702

Certified Cor. Record Prepared? Yes No Filed At JEFFERSON COUNTY SURVEYORS OFFICE Date 14 Aug 1978

11

REMARKS

12

Index File No. T. R. dm. Tract or Surv. No. Cor. P-21

2165

115 10E

13

Index File No. 1766

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)


Tract or Survey No. _____ Cor. Q-17 No. _____

T 11 S. R. 10 E. R.D. Sisters County Jefferson S/16 Cor. Sec. 23

Merid. Wmt. N.F. Deschutes State Oregon S/16 Cor. Sec. 22

CORNER DIAGRAM

DESCRIBE CORNER MONUMENT FOUND



NONE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

NONE

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____

Signature _____ Title _____ Division _____ Headquarters _____ Date _____

PLS Eng. SO 7100-52 (3 68)

CORNER RECORD (PERPETUATION)

MONUMENT
STAMPED:

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

At the midpoint between the W/4 Corner and the SW Corner of Sec. 23,
being 1327.76 feet south of the W/4 Cor. and 2655.52 feet in all;

Set a #5 X 30" plastic-capped steel rod rising 2" above ground.



9

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

an 8" ponderosa pine bears N 10° E 34.8 feet, B/S "S 1/16 S23 BT"; and

a 6" cedar bears S 26° W 28.0 feet, B/S "S 1/16 S22 BT".

10

Work Done By R. Oman Title PLS Date 10/78 State Registration No. or Agency OR-702

Certified Cor. Record Prepared? Yes No Filed At Jefferson Co. Surv. Office Date 10/78

11

REMARKS

12

Index File No. 1766 T. 11 S. R. 10 E. M. Wmt. Tract or Surv. No. Cor. Q-17


13

Index
File No. 2166

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or
Survey No. _____ Cor. No. Q-21
County Jefferson S/16 Cor. Sec. 23
State Oregon S/16 Cor. Sec. 24

T 11 S. R. 10 E. R.D. Sisters
Merid. Wmt. N.F. Deschutes



DESCRIBE CORNER MONUMENT FOUND

NONE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

NONE

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature Title Division Headquarters Date 7100-52 (3 68)

[Signature] PLS ENG. SO 2 6 OCT 1970


CORNER RECORD (PERPETUATION)

MONUMENT
STAMPED:

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

At the midpoint between the E/4 Corner and the SE Corner of Sec. 23,
being 1326.86 feet south of the E/4 Cor. and 2653.72 feet in all;

Set a #5 X 30" plastic-capped steel rod rising 2" above ground.



9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

an 8" ponderosa pine bears S 24° E 8.3 feet, B/S "S 1/16 S24 BT"; and

a 6" " " " N 52° W 5.1 feet, B/S "S 1/16 S23 BT".

10

Work Done By R. Oman Title PLS Date 10/78 State Registration No. OR-702
or Agency

Certified Cor. Record Prepared? Yes No Filed At Jefferson Co. Surv. Office Date 10/78

11

REMARKS

12

Index File No.	T.	R.	M.	Tract or Surv. No.	Cor.
2166	11 S.	10 E.	Wmt.		Q-21

13

Index File No. _____

CORNER RECORD (SEARCH)

(Ref. FSM 7.151.4)

Tract or Survey No. _____

Cor. No. R-05

T. 11 S. R. 10 E. R.D. SISTERS

County JEFFERSON

SE COR. of SEC. 19

Merid. WILLAMETTE


N.F. DESCHUTES

State OREGON

NW COR. of SEC. 29

CORNER DIAGRAM PER LEGEND

DESCRIBE CORNER MONUMENT FOUND



Rock partly in ground rising 6"

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

10" W. LARCH N 45° E 6 FT. MKD. THIS R 10 E S 20 BT
 16" " " S 17° E 10 1/2 FT. MKD.
 19" " " S 65° W 39 FT.

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

- Corner Legend:
- Searched for/Not Found
 - Evidence Found/Accept.
 - Permanent Monument

Signature CM BELL

Title F

Division _____


Headquarters _____

Date 11/51 D-7100-52 (3/79)

CORNER RECORD (PERPETUATION)

MONUMENT. DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT STAMPED



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

PLAT PREPARED OR Certified Cor. Record Prepared? Yes No Filed At: Co. SURVEYOR'S OFFICE Date

REMARKS

Index File No. T. S., R. E., W. M. Tract or Surv. No. Cor. R-05

Index
File No. R 19

CORNER RECORD (SEARCH)


(Ref. FSM 7151.4)

Tract or Survey No. _____
Cor. No. R-9

T 11 S. R. 10 E. R.D. Sisters County Jefferson SEC. COR.

Merid. Willamette N.F. Deschutes State Oregon

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

None

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

Three Ponderosa Pine bearing trees

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____

Agency

Signature

Title

Division

Headquarters

Date

7100-52 (3/68)

CORNER RECORD (PERPETUATION)

MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

11

REMARKS

12

Index File No. T. R. M. Tract or Surv. No. Cor. *R-09* 13

Index
File No. 1767

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or
Survey No. _____


Cor.
No. R-17

T 11 S R. 10 E
Merid. WMT

R.D. SISTERS County JEFFERSON
N.F. DESCHUTES State OREGON

SW 1/4 Sec 23
NW 1/4 Sec 26

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

MOUND of STONES

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

ALL FOUR ORIGINAL BT'S
MARKED for CUTTING.

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature

Title PLS Division ENG Headquarters SO Date 8/78
7100-52 (3 68)

CORNER RECORD (PERPETUATION)

MONUMENT
STAMPED:

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2½" X 30" BRASS-CAPPED STEEL PIPE RISING 12" ABOVE GROUND
IN A MOUND of STONES.

T11S R10E

22/23

27/26

R. OMAN PLS
OR-702

9

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

a 6" CEDAR BRS. N 12° W 54¹ FT., B&S "T11S R10E S22 BT"
 a 7" PANDEROSA PINE " N 52° E 67¹ FT., B&S "T11S R10E S23 BT"
 a 7" " " " S 48° E 59³ FT., B&S "T11S R10E S26 BT"
 a 6" " " " S 24° W 25⁵ FT., B&S "T11S R10E S27 BT"

10

Work Done By R. Oman Title PLS Date 8/78 State Registration No. or Agency OR-702Certified Cor. Record Prepared Yes No Filed At JEFFERSON COUNTY SURVEYORS OFFICE Date 14 Aug 1978

11

REMARKS

Index File No.

1767

T.

11 S

R.

10E

wh.

Tract or Surv. No.

Cor.

R-17

12

13

Index

File No. 1967

T 11 S R. 10 E

Merid. W.M.T.

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

R.D. SISTERS

N.F. DESCHUTES

Tract or Survey No. _____


County JEFFERSON

State OREGON

Cor. No. R-19

5/4 Cor/Sec 23
N/4 Cor/Sec 26,

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE of PROPER DIMENSION
BUT NO MARKING

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

TWO TBT'S, MARKED FOR CUTTING
a 24" PONDEROSA PINE BRG. N25°W 14'-FT, B/S "1/4 S BT"
a 30" " " " 51°W 35'-FT, B/S "1/4 S BT"

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____

Agency

Signature

Title

Division

Headquarters

Date

FPLS

ENG

SO

8/78


7100-52 (3 68)

CORNER RECORD (PERPETUATION)

MONUMENT
STAMPED:

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2½" X 30" BRASS-CAPPED STEEL PIPE RISING 16" ABOVE
GROUND IN LARGE MOUND OF STONES, ABOUT 18 FEET EAST
OF LOGGING SPUR.



ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

a 4" CEDAR BRS. N43°W 16 1/2 FT., B&S "1/4 S 23 BT"
a 4" PONDEROSA PINE BRS S58°E 22° FT., B&S "1/4 S 26 BT"

Work Done By R.OMAN Title PLS Date 8/78 State Registration No. or Agency OR-702

Certified Cor. Record Prepared Yes No Filed At JEFFERSON COUNTY SURVEYORS OFFICE Date 14 Aug 78

REMARKS

Index File No. 1967 T. 115 R. 10E W.M. WM. Tract or Surv. No. R-19 Cor. 13

Index
 File No. 2167
 T 11 S R. 10 E
 Merid. WMT

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or
 Survey No. _____

Cor.
 No. R-21


R.D. SISTERS County JEFFERSON

SE Cor/Sec 29

N.F. DESCHUTES State OREGON

NE Cor/Sec 26

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE OF PROPER DIMENSION
 BUT NO MARKING

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

TWO ORIGINAL BT'S
 DOWN & ROTTING.

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
 Agency _____

Signature _____

Title PLS Division ENG Headquarters SO

Date 8/78 100-52 (3 68)

CORNER RECORD (PERPETUATION)

MONUMENT
STAMPED:

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 30" BRASS-CAPPED STEEL PIPE RISING 8" ABOVE GROUND
IN A MOUND of STONES, ABOUT 52 FEET EAST of RAVINE

T115 R10E
23124
26125
R. OMAN PLS
OR-702

9

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

- a 10" PONDEROSA PINE TRS. N 32° W 51 1/2 FT., B&S "T115 R10E S23 BT"
- a 8" CEDAR " N 68° E 23 1/2 FT., B&S "T115 R10E S24 BT"
- a 4" " " S 22° E 17 3/4 FT., B&S "T115 R10E S25 BT"
- a 9" PONDEROSA PINE " S 32° W 36 1/2 FT., B&S "T115 R10E S26 BT"

10

Work Done By R. OMAN Title PLS Date 8/78 State Registration No. or Agency OR-702

Certified Cor. Record Prepared Yes No Filed At JEFFERSON COUNTY SURVEYORS OFFICE Date 14 Aug 1978

11

REMARKS

Index File No. T. R. W.M. Tract or Surv. No. Cor. 12
2167 115 10E R-21 13

Index

File No. 2567

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Contract or
Survey No. _____

Cor.
No. R-25

T 11 S. R. 10 E. R.D. SISTERS

County JEFF

SE Cor. of


Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON

Section 24

SEE: R-01 T. 11 S., R. 11 E., W.M.



Index
File No. _____
T. 11 S. R. 10 E. R.D. SISTERS
Merid. WILLAMETTE

CORNER RECORD (SEARCH)

(Ref. FSM 7.151.4)

Tract or
Survey No. _____

Cor. No. 7-09


County JEFFERSON

E/A Cor. of Sec 29

N.F. DESCHUTES State OREGON

w/4 Cor. of Sec. 28

CORNER DIAGRAM PER LEGEND



DESCRIBE CORNER MONUMENT FOUND

STONE IN GROUND R56. 6"

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

24" I. CEDAR N08°E 30 FT. MKD.

29" P. PINE N42°W 55 FT. MKD. T11S S29

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____

Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

- Corner Legend:
- Searched for/Not Found
 - Evidence Found/Accept.
 - Permanent Monument

Signature CM BEIL

Title F

Division _____


Headquarters _____

Date 3/55 D-7100-52 (3/79)

CORNER RECORD (PERPETUATION)

MONUMENT DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT STAMPED



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

PLAT PREPARED OR
Certified Cor Record Prepared? Yes No Filed At: **Co. SURVEYOR'S OFFICE** Date _____

REMARKS

Index File No.

T.

S., R.

E., W. M.

Tract or Surv. No.

Cor.

T-09


Index
 File No. 1769
 T 11 S R. 10 E
 Merid. WMT

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No. _____ Cor. No. T-17
 R.D. SISTERS County JEFFERSON W/4 Cor/Sec 26
 N.F. DESCHUTES State OREGON E/4 Cor/Sec 27

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE OF PROPER DIMENSION,
 BUT NO MARKING

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

BOTH ORIGINAL BT'S, IN GOOD CONDITION
 BUT MARKED FOR CUTTING —
 a 34" PONDROSA PINE BRG. S85°E 20' FT. B/S "1/4 S BT"
 a 26" FIR " S68°W 36' FT. B/S "1/4 S BT"

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
 Agency _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER


Signature _____ Title PLS Division ENG Headquarters SO Date 8/75 7100-52 (3 68)

CORNER RECORD (PERPETUATION)

MONUMENT
STAMPED:

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 30" BRASS-CAPPED STEEL PIPE RISING 4" ABOVE GROUND
ABOUT 150 FEET NORTH OF A RAVINE.



ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

a 8" FIR BRS N47°E 10° FT., BfS "1/4 S 26 BT" and
a 10" CEDAR " S69°W 52 FT., BfS "1/4 S 27 BT"

Work Done By R. Oman Title PLS Date 8/78 State Registration No. or Agency OR-702

Certified Cor. Record Prepared? Yes No Filed At: JEFFERSON COUNTY SURVEYORS OFFICE Date 14 Aug 1978

REMARKS

Index File No.

1769

T.

11 S

R.

10E

W M.

Tract or Surv. No.

Cor.

T-17

USDA-FOREST SERVICE

Index
File No. _____

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or
Survey No. _____

Cor. No. T-21

T 115 R. 10E

R.D. Sisters County Jefferson


E/4 Cor. Sec. 26

Merid. W/11

N.F. Daschutes State Oregon

W/4 Cor. Sec. 25

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

- Nothing -
Probably Destroyed During Road Constr.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

- Nothing -

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____

Agency

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Signature

Title

Division

Headquarters

Date

7100-52-(3/68)

Dan Sanwich

Survey Tech Eng.

SO.

8/78

CORNER RECORD (PERPETUATION)

MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

REMARKS

12

Index File No. T. R. M. Tract or Surv. No. U.S. G.P.O. 1977-725-576/586 Cor. T-21 13

USDA-FOREST SERVICE D-7100-52(2/82)

Index File No. 2569
T 11 S. R. 10 E. R.D. D-5


CORNER RECORD (SEARCH) Contract or Survey No. _____
(Ref. FSM 7151.4)

Cor. No. T-25

Merid. Willamette N.F. Deschutes County JEFFERSON State Oregon E/A Cor. of Section 25

CORNER DIAGRAM per legend

DESCRIBE CORNER MONUMENT FOUND SFNF



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND SFNF

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER AREA PARTIALLY LOGGED & BURNT


- CORNER LEGEND:
- FS or Unverified
 - Contr. Other
 - Searched For/Not Found
 - Evidence Found/Accept.
 - Permanent Mon. Set/Fd.

Searched By: W. MILLER Title L.S. Division ENG. Headquarters S.O. Date 5/9/84

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT STAMPED



9

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Plat of _____ Certified _____ Cor. Record Prepared? Yes No Filed At _____ Co. Surveyor's Office Date _____

11

History of Surveys, G.L.O., etc.
STONE - 17" x 12" x 12"
7" PINE - N15° E @ 7⁵ FT.
10" " - N80° W @ 68° "

Index File No. _____ T. S., R. E., W.M. _____ Contract or Surv. No. _____ Cor. T-25

12

13

Index
File No. V 1

CORNER RECORD (SEARCH)

Tract or
Survey No. _____
Cor.
No. V-01

T 11S., R. 10E.


R.D. SISTERS County JEFFERSON

SEC COIR

Merid. Will

N.F. DESCHUTES State OREGON

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

SEE: V-25, T11S, R9E

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature

Title

Division

Headquarters

Date

7100-52

REV. 65 5

CORNER RECORD (PERPETUATION)

MONUMENT DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES : DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

11

REMARKS

12

Index File No.

T.

R.

M.

Tract or Surv. No.

Cor. V-01 13

Index

File No. _____

CORNER RECORD (SEARCH)

(Ref. FSM 7.151.4)

Tract or

Survey No. _____

Cor.

No. V-09

T. 11 S. R. 10 E. R.D. SISTERS

County JEFFERSON

SE

COR. of SEC. 29

Merid. WILLAMETTE

N.F. DESCHUTES


State OREGON

NW

COR. of SEC. 33

CORNER DIAGRAM PER LEGEND

DESCRIBE CORNER MONUMENT FOUND



STONE IN GROUND RSG. 6"
MKD. 1 m N. SIDE 111 m E. SIDE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

28" I. CEDAR S43°E 30^E FT. MKD. S33 BT
23" P. PINE N15°W 18° FT.

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

14" P. PINE N78°E 36^E FT. MKD. THIS RIDE S28 BT

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Corner Legend:

Searched for/Not Found

Evidence Found/Accept.

Permanent Monument

Signature CM BEIL

Title F

Division _____


Headquarters _____

Date 7/55 D-7100-52 (3/79)

CORNER RECORD (PERPETUATION)

MONUMENT. DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT STAMPED



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

PLAT PREPARED OR Certified Cor Record Prepared? Yes No Filed At: Co. SURVEYOR'S OFFICE Date

REMARKS

Index File No.

T.

S., R.

E., W. M.

Tract or Surv. No.

Cor.

V-09

Index
File No. 1771

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)


Tract or
Survey No. _____Cor.
No. V-17T 11 S R. 10 ER.D. SISTERSCounty JEFFERSONS.W. Cor./Sec 26

Merid. _____

N.F. _____

State _____

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE OF PROPER DIMENSION,
BUT NO MARKING

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

2 ORIGINAL PT'S, MARKED FOR CUTTING

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature _____

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency _____

Signature _____

Title

Division

Headquarters

Date

3100-52 (3 68)

PLS

ENG

S.W.

4/170

CORNER RECORD (PERPETUATION)

MONUMENT
STAMPED:

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 30" BRASS-CAPPED STEEL PIPE RISING 8" ABOVE GROUND
IN A MOUND OF STONES, S45°E 21 FEET FROM "4" in
OLD LOGGING ROAD.

T115 RIOE
27126
34135
R. OMAN PLS
OR-702

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

an 8" FIR BRS. N65°W 37⁶ FT., B&S "T115 RIOE 327 BT"
an 8" " " DUE EAST 46⁷ FT., B&S "T115 RIOE 326 BT"
a 12" PANDEROSA PINE BRS. S05°E 139^L FT., B&S "T115 RIOE 335 BT"
a 6" CEDAR BRS. S83°W 72^L FT., B&S "T115 RIOE 334 BT"

Work Done By R. Oman Title PLS Date 8/78 State Registration No. OR-702
or Agency

Certified Cor. Record Prepared? (Yes) No Filed At JEFFERSON COUNTY SURVEYORS OFFICE Date 14 Aug 1978

REMARKS

Index File No. 1771 T. 11S R. 10E 4M. Tract or Surv. No. Cor. V-17

Index
File No. _____

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or
Survey No. _____

Cor.
No. V-19

T 11 S R. 10 E

R.D. Sisters County Jefferson

S/4 Cor Sec 26


Merid. Will

N.F. Deschutes State Oregon

N/4 Cor Sec 35

CORNER DIAGRAM

DESCRIBE CORNER MONUMENT FOUND



-Nothing-
Searched for found nothing

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

-Nothing-

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature

Dan Sanburch

Title

Survey Tech

Division

Eng.

Headquarters

SO

Date

8/78

7100-52 (3/68)

CORNER RECORD (PERPETUATION)

MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

11

REMARKS

Index File No. T. R. M. Tract or Surv. No. Cor. V-19

12

13

Index
File No. 2171
T 11 S R. 10 E
Merid. WMT


CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or
Survey No. _____
Cor.
No. V-21
SE COR / Sec 26

R.D. SISTERS County JEFFERSON
N.F. DESCHUTES State OREGON

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE of PROPER DIMENSION
BUT NO MARKING

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

TWO BT'S, ONE A SNAG,
THE OTHER DOWN & ROTTING

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature

Title

AS

Division

ENG

Headquarters

SO

Date

8/78

7100-52 (3 68)

CORNER RECORD (PERPETUATION)

MONUMENT
STAMPED:

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 30" BRASS-CAPPED STEEL PIPE RISING 16" ABOVE
GROUND IN A MOUND OF STONES

T115 R10E
26 | 25
35 | 36
R. OMAN PLS
OR-702

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

- a 6" CEDAR BT'S N 34° E 112 FT., BT'S "T115 R10E S25 BT"
- a 4" " " S 37° E 55 FT., " "T115 R10E S36 BT"
- a 6" PONDEROSA PINE " S 74° W 58 FT., " "T115 R10E S35 BT"
- a 5" " " " N 46° W 42 FT., " "T115 R10E S26 BT"

10

Work Done By R. Oman Title PLS Date 8/78 State Registration No. or Agency OR-702

Certified Cor. Record Prepared? Yes No Filed At: JEFFERSON COUNTY SURVEYORS OFFICE Date 14 Aug 1978

11

REMARKS

Index File No.

T.

R.

W.M.

Tract or Surv. No.

Cor.

2171

E 115

10E

V-21

12

13


Index
File No. 2571

CORNER RECORD (SEARCH) Contract or
(Ref. FSM 7151.4) Survey No.

T 11 S. R. 10 E. R.D. SISTERS County JEFFERSON Cor. No. V-25

Merid. Willamette N.F. Deschutes State Oregon SE Cor. of Section 25

CORNER DIAGRAM per legend



DESCRIBE CORNER MONUMENT FOUND

FD. STONE 18"X15"X12" (BEDDED)
OLD LATHE BY STONE - 'X' ON TOP OF STONE, NO OTHER
DISCERNABLE MARKS (ASSUME MARTIN USED STONE
IN 1964 SURVEY)

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

23" P. PINE - S4°E @ 35° FT. - SCRIBED OPEN (RINE S31) DEAD TOP
15" FIR - S38W @ 20° FT. - SCRIBED (115 RIDES S36 (DEAD & DOWN))
17" " - N20W @ 35° FT. SCRIBED THIS RIDES 25 B' (" ")
18" " - N01°E @ 20° FT. (SCRIBED HEALED)

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

3000' EAST OF ROAD
150' E. & 100' S. OF CREEK

CORNER LEGEND:

- FS or Unverified
- Contr. Other
- Searched For/Not Found
- ◇ Searched For/Not Found
- ⊗ Evidence Found/Accept.
- ⊗ Evidence Found/Accept.
- Permanent Mon. Set/Fd.
- ◆ Permanent Mon. Set/Fd.


LOTS OF LINE TREES GOING TOWARD CORNER - ALL
ARE POND'S

Searched By: W. MILLER Title L.S. Division ENG. Headquarters S.O. Date 5/9/84

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT STAMPED



ACCESSORIES: DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Plat of Cor. Record Prepared? Yes No Filed At _____ Co. Surveyor's Office Date _____

History of Surveys, G.L.O., etc. STONE - 18" x 14" x 12" 1 NOTCH S. & 5 NOTCH N.
9" PINE - 509E @ 37⁶
12" FIR - 539W @ 19⁸
14" " - N18W @ 33²
14" " - N01E @ 19⁴

Index File No. _____ T. S., R. E., W.M. Contract or Surv. No _____ Cor. V-25


USDA-FOREST SERVICE

Index
 File No. _____
 T. 11 S. R. 10 E.
 Merid. WILLAMETTE

CORNER RECORD (SEARCH)
 (Ref. FSM 7.151.4)

Tract or Survey No. _____
 Cor. No. X-09
 County JEFFERSON E/4 COR. of SEC. 32
 N.F. DESCHUTES State OREGON W/4 COR. of SEC. 33

CORNER DIAGRAM PER LEGEND



DESCRIBE CORNER MONUMENT FOUND

STONE SET IN GROUND RSG. 5"
 MKD. 1/4

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

15" 1. CEDAR N75°W 25² FT. MKD. 1/4 S BT
 12" .. N42°E 19¹ FT. MKD. 1/4 S BT

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER


- Corner Legend:
- Searched for/Not Found
 - Evidence Found/Accept.
 - Permanent Monument

Signature CM BETL Title F Division _____ Headquarters _____ Date 10/55 0-7100-52 (3/79)

CORNER RECORD (PERPETUATION)

MONUMENT. DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT STAFFED



9

ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

PLAT PREPARED OR
Certified Cor. Record Prepared ? Yes No

Filed At _____

Co. SURVEYOR'S OFFICE Date _____

11

REMARKS

Index File No. _____

T. _____

S., R. _____

E., W. M. _____

Tract or Surv. No. _____

Cor. _____

X-09

12

13

USDA-FOREST SERVICE

Index File No. _____

CORNER RECORD (SEARCH)

(Ref. FSM 7.151.4)

Tract or Survey No. _____

Cor. No. X-13

T. 11 S. R. 10 E. R.D. SISTERS

County JEFFERSON

COR. of SEC. 33

Merid. WILLAMETTE


N.F. DESCHUTES

State OREGON

W/4 COR. of SEC. 34

CORNER DIAGRAM PER LEGEND

DESCRIBE CORNER MONUMENT FOUND



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

26" P. PINE MKD. 1/4 S BT

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Corner Legend:

- Searched for/Not Found
- Evidence Found/Accept.
- Permanent Monument

Signature CM BETH

Title F

Division _____


Headquarters _____

Date 5/5/00 D-7100-52 (3/79)

CORNER RECORD (PERPETUATION)

MONUMENT. DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT SET/STAMPED



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____
PLAT PREPARED OR Certified Cor. Record Prepared? Yes No Filed At: Co. SURVEYOR'S OFFICE Date

REMARKS

Index File No. T. S., R. E., W. M. Tract or Surv. No. Cor. X-13

Index File No. Z 1

CORNER RECORD (SEARCH)

Tract or Survey No. _____ Cor. No. Z-1

T 12S., R. 10E., R.D. METOLIUS County JEFFERSON

Merid. Will N.F. DESCHUTES State OREGON SEC COR.

CORNER DIAGRAM

DESCRIBE CORNER MONUMENT FOUND

SEE 2-25, T11S R9E - NOTES
SEE: A-25, T12S, R9E,

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND




PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature

Title

Division

Headquarters

Date

7100-52

REV. 65 5

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

11

REMARKS

12

Index File No. T. R. M. Tract or Surv. No. Cor. *Z-01*

13


Index
File No. _____
T. 11 S. R. 10 E. R.D. SISTERS
Merid. WILLAMETTE N.F. DESCHUTES

CORNER RECORD (SEARCH)
(Ref. FSM 7.151.4)

Tract or
Survey No. _____
County JEFFERSON
State OREGON

Cor. No. 2-03
COR. of SEC. _____
COR. of SEC. _____

CORNER DIAGRAM PER LEGEND



DESCRIBE CORNER MONUMENT FOUND

STONE SET IN GROUND RSG. 4"
MKD. 1/4

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

27" D. FIR S50°W 82 FT. MKD. 1/4 S

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Corner Legend:

- Searched for/Not Found
- Evidence Found/Accept.
- Permanent Monument


Signature CM BEIL

Title F Division _____ Headquarters _____ Date 6/56

CORNER RECORD (PERPETUATION)

MONUMENT. DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT SET



9

ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

PLAT PREPARED OR Certified Cor. Record Prepared ? Yes No Filed At: Co. SURVEYOR'S OFFICE Date

11

REMARKS

Index File No. T. S., R. E., W. M. Tract or Surv. No. Cor. 2-03

12

13

Index File No. 27

CORNER RECORD (SEARCH)

Tract or Survey No. _____

Cor. No. 2-07

T 11S., R. 10E.

R.D. SISTERS

County JEFFERSON

S 1/4 Cor Sec 32

Merid. Will

N.F. DESCHUTES


State OREGON

N/4 Cor Sec 5

CORNER DIAGRAM

DESCRIBE CORNER MONUMENT FOUND

10'x12"x16" Stone in good condition, extending 4" above the ground marked 1/4S on top of stone



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

B.T. 24" W. Fir has been felled and is rotting. Marked with an aluminum B.T. marker. Stump marked B.T., almost rotted away. Distance 17 ft. from stone, bearing S60°W from corner.

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Corner is located 360' west of section line marker on rd 1141.
No evidence of other B.T.

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature
CM Laing

Title
Survey Tech

Division _____

Headquarters _____

Date

7-25-62

7100-52

REV. 65 5

CORNER RECORD (PERPETUATION)

MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

9

ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

REMARKS

12

Index File No. T. R. M. Tract or Surv. No.

Cor. 2-07 13

USDA-FOREST SERVICE

Index
File No. _____

CORNER RECORD (SEARCH)

(Ref. FSM 7.151.4)

Tract or
Survey No. _____

Cor.
No. 2-15

T. 11 S. R. 10 E. R.D. SISTERS County JEFFERSON


COR. of SEC.

Merid. WILLAMETTE N.F. DESCHUTES State OREGON

COR. of SEC.

CORNER DIAGRAM PER LEGEND

DESCRIBE CORNER MONUMENT FOUND



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

FD BT in Sec 3

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____

Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Corner Legend:

- Searched for/Not Found
- Evidence Found/Accept.
- Permanent Monument

Signature CM BELL

Title

F

Division

Headquarters


Date

3/51 D-7100-52 (3/79)

CORNER RECORD (PERPETUATION)

MONUMENT. DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT STAFFED



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____
PLAT PREPARED OR
Certified Cor Record Prepared ? Yes No Filed At. Co. SURVEYOR'S OFFICE Date

REMARKS

Index File No. T. S., R. E., W. M. Tract or Surv. No. Cor. 2-15

Index
File No. _____

CORNER RECORD (SEARCH)

(Ref. FSM 7.151.4)

Tract or
Survey No. _____

Cor.
No. 2-17

T. 11 S. R. 10 E. R.D. SISTERS

County JEFFERSON

SE COR. of SEC. 34

Merid. WILLAMETTE


N.F. DESCHUTES

State OREGON

NW COR. of SEC. 2

CORNER DIAGRAM PER LEGEND

DESCRIBE CORNER MONUMENT FOUND



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

1 BT

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Corner Legend:

Searched for/Not Found

Evidence Found/Accept.

Permanent Monument

Signature CM BEIL

Title

F

Division


Headquarters

Date 7/51 D-7100-52 (3/79)

CORNER RECORD (PERPETUATION)

MONUMENT DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

MONUMENT STAMPED



9

ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____
PLAT PREPARED OR
Certified Cor Record Prepared ? Yes No Filed At: Co. SURVEYOR'S OFFICE Date

11

REMARKS

12

Index File No.

T.

S., R.

E., W.M.

Tract or Surv. No.

Cor. 2-17

13