


T 17S, R 11E, M W



LEGEND

○ = Corner having information on form 7100-52 in this file.

Ledgend conforms to Reporting forms MPMCC 11/79

FILING INSTRUCTION

File 7100-52 card record by letter and number coordinates behind the file guide for the township in which it falls.

File the 7100-52 card record by letter and then by number i.e., all A cards first, then B cards etc.

The first card behind the file guide (if data have been obtained and recorded) will be card A-1 for N. W. Township Corner, then card A-2 for 1/16 corner then card A-3 for 1/4 corner etc.

Index File No. 0151

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or Survey No. _____

Cor. No. A-01

17 S. R. 11 E. R.D. SISTERS County DESCHUTES NW COR. SEC. 6

Merid. WILLAMETTE N.F. DESCHUTES State OREGON SE COR. SEC. 36

SEE: Z-25
T 16 S RIDE

PC
by PALM

A-01

Index File No. 0151 CORNER RECORD (SEARCH) (Ref. FSM 7151.4) Tract or Survey No. A-01
T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES NW COR. SEC. 6
Merid. WILLAMETTE N.F. DESCHUTES State OREGON SE COR. SEC. 36

SEE: Z-25
T 16 S RIDE

PC
by BLM

USDA-FOREST SERVICE

Index

File No. 0425

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No. 001088

Cor.

No. A-04

T 17 S R. 11 E

R.D. _____ County _____

Merid. _____

N.F. _____ State _____

E 1/16 31/6

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

See Z-04 T16S-R11E
BCSP

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature

Title

Division

Headquarters

Date

FS-7100-52 (3/68)

USDA-FOREST SERVICE

Index File No. 0351

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No.

Cor. No. A-03

T 17 S. R. 11 E.

R.D. SISTERS

County DESCHUTES

1/4 Cor. Sec. 6

Merid. WILLAMETTE


N.F. DESCHUTES

State OREGON

5/4 Cor. Sec. 31

CORNER DIAGRAM

31



DESCRIBE CORNER MONUMENT FOUND

STONE ~~13x12x6~~ R56.6"
LAND. 1/4 14x14x8

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

800' E. of ROAD 1139

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature D.T.


Title S.A. Division _____

Headquarters S.O.

Date 10/79 D-7100-52 (10/79)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT
 SET 2 1/2" X 32" BRASS-CAPPED STEEL PIPE RISING 6 3/4"
 IN MOUND OF STONES ~ BURIED ORIGINAL STONE
 ALONGSIDE PIPE.



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10" PP S52°E 51³⁸ FT. TO 60d NL. IN NE SD., MKD. N/4 S6 BT
 5" PP N48°W 109⁴⁰ FT. TO 60d NL. IN NE SD., MKD. X BT

Work Done By R. OMAN Title PCS Date 10/81 State Registration No. or Agency OR-702

Certified Cor. Record Prepared? Yes No Filed At: DESCH. CO. SURV. OFFICE Date 10/81

REMARKS

SOUTH 1/4 CORNER OF S. 31
 #001088
 5/00
 FOUND 2-1/2" BCSP RISING 1" ABOVE GROUND, IN A ROCK
 COLLAR PER CERTIFICATE FILED BY OMAN.
 N=902225.37 E=4670789.82 *Walt Miller*

Index File No 0351 T. 16 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. A-03

USDA-FOREST SERVICE

Index
File No. 0551

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No. A-05

T 17 S. R. 11 E.

R.D. SISTERS

County

DESCHUTES

NW COR. SEC. 5

Merid. WILLAMETTE

N.F. DESCHUTES

State

OREGON

SE COR. SEC. 31

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE 15 X 10 X 5 RSG. 5"
5 NOTCHES ON S. SIDE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

³⁴
30" P. PINE N10°E 21 3/4 B/S

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature _____

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency _____

Signature

D.T.

Title

S.A.

Division

Headquarters

S.O.

Date


10/79

D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" K32" BRASS-CAPPED STEEL PIPE RISING
4" IN MOUND OF STONE ~ BURIED ORIGINAL STONE
ALONGSIDE PIPE ~ FENCES INTERSECT AT
ORIGINAL LONE BT



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

34" PP S38°W 1849 FT. TO 60d NL. IN SE BASE, ORIG. BT
6" JUN. N58°W 6856 FT. TO 60d NL. IN SW BASE, MKD. T 165 R 11 E S 31 BT
4" JUN. N84°E 2930 FT. TO 60d NL. IN N. BASE, MKD. X BT
4" JUN. S46°E 4568 FT. TO 60d NL. IN SW BASE, MKD. X BT

Work Done By R. OMAN Title PLS Date 10/81 State Registration No. or Agency OR-702

Certified Cor. Record Prepared Yes No Filed At DESCH. CO. SURV. OFFICE Date 10/81

REMARKS

No CALL ON RECORD for THIS CORNER BUT EVIDENCE IS
OBVIOUSLY ORIGINAL.

SOUTHEAST CORNER OF S. 31 #001088

FOUND 2-1/2" BCSP RISING 1" ABOVE GROUND, IN A ROCK
COLLAR PER CERTIFICATE FILED BY OMAN.

N=902203.83 E=4673435.31 5/00

Index File No. 0551 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. A-05

Index File No. 0751
CORNER RECORD (SEARCH) (Ref. FSM 7151.4) Tract or Survey No. Cor. No. A-07
17 S. R. 11 E. R.D. SISTERS County DESCHUTES N/A COR. SEC. 5
Merid. WILLAMETTE N.F. DESCHUTES State OREGON 5/4 COR. SEC. 32

SEE: Z-07
T16 S R11E

BLM

A-07

Index

File No.

0751

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No.

A-07

T 17 S. R. 11 E.

R.D.

SISTERS

County

DESCHUTES

N/4 COR. SEC. 5

Merid.

WILLAMETTE

N.F.

DESCHUTES

State

OREGON

5/4 COR. SEC. 32

SEE: Z-07

T 16 S R 11 E

BLM

USDA-FOREST SERVICE

Index

File No. 0951

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No. A-09

T 17 S. R. 11 E.

R.D. SISTERS County DESCHUTES


NE COR. SEC. 5

Merid. WILLAMETTE

N.F. DESCHUTES State OREGON

SW COR. SEC. 33

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

3/4" Ø AXLE RSG. 1 1/2"

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

30" JUN. N05°E 177 40

10" X 8" DBL. JUN. N40°E 181 50

NE. w/ YELLOW FLAGGING IN BLAZE - COULD SEE NO SCRIBING

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature _____

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency _____

Signature

D.T.

Title

S.A.

Division

Headquarters

S.O.


Date

10/79

7100-52 (10/70)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES: DESCRIBE NEW ST's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 0951 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. A-09

USDA-FOREST SERVICE

Index

File No.

T 17 S. R. 1151 E.

Merid. WILLAMETTE

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

R.D. SISTERS County DESCHUTES

N.F. DESCHUTES State OREGON

Tract or

Survey No.


Cor. No. A-11

N/4 Cor Sec 4
S/4 Cor Sec 33

CORNER DIAGRAM

33

DESCRIBE CORNER MONUMENT FOUND



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

10" JUN. w/ 2 BLAZES HEALED OVER
& NAIL GROWN OVER

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency _____

Signature D.T.

Title S.A.


Division _____

Headquarters S.O.

Date 10/79 D-7100-52 (10/70)

CORNER RECORD (PERPETUATION)

MONUMENT DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At _____ Date _____

REMARKS

Index File No. *1151* T. *17* S., R. *11* E., W.M.

Tract or Surv. No.

Cor. *A-11*

USDA-FOREST SERVICE

Index

File No. 1251

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor. No. A-12

T 17 S. R. 11 E.

R.D. SISTERS

County DESCHUTES

E/16 CIR.

Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON

SEC. 4 & 33

CORNER DIAGRAM

33

DESCRIBE CORNER MONUMENT FOUND

1" SPIKE IN E RES. RD.
IN PUNT.

N

T165

T175

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

6" JUN. S W 34°
8" JUN. S E 26°

4

6

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

7

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

8

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Signature D.T.

Title S.A. Division

Headquarters S.O.


Date 10/79 7100-52 (10/78)

4

5

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 1251 T. 17 S., R. 11 E., W. M.

Tract or Surv. No.

Cor. A-12

USDA-FOREST SERVICE

Index

File No. 1351

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.


Cor.

No. A-13

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES NE 1/4 Sec 4

Merid. WILLAMETTE N.F. DESCHUTES State OREGON SW 1/4 Sec 34

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

#5 SR IN PVMT. 15' S. of $\frac{1}{4}$ / $\frac{1}{4}$ INT.
RES. RD. & COLLINS RD.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

12" P. PINE S25°E 30', TOE BLAZE, NO MKS.

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency _____

Signature D.T.


Title S.A. Division

Headquarters S.O.

Date 10/19-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____	Title _____	Date _____	State Registration No. or Agency _____
Certified Cor. Record Prepared ?	Yes	No	Filed At: _____
			Date _____
REMARKS			

Index File No. 1351 T. 17 S., R. 11	E., W. M.	Tract or Surv. No.	Cor. A-13
--	-----------	--------------------	------------------

Index

File No.

1352

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No. B-13

T 17 S. R. 11 E.

R.D. SISTERS

County DESCHUTES

N/16 COR.


Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON


SEC. 3 & 4

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

1" PIPE w/ 2" CAP MKD.
AT END of FNC. LINE



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No.

Filed At.

Object Ident.

Ident. By

Signature

7

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PROBABLY SET w/ TUM. IRRIG. PROJ.
PRIOR TO REG. LAW

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

8

Signature

D.T.

Title

S.A.

Division

Headquarters

S.O.

Date


10/79

D-7100-52 (10/78)

5

CORNER RECORD (PERPETUATION)

MONUMENT. DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES. DESCRIBE NEW ST'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 1352 T. 17 S., R. 11 E., W. M.

Tract or Surv. No.

Cor. B-13

USDA-FOREST SERVICE

Index

File No.

0153

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No.

C-01

T 17 S. R. 11 E.

R.D. SISTERS County

DESCHUTES

w/4 COR. SEC. 6


Merid. WILLAMETTE

N.F. DESCHUTES State

OREGON

E/4 COR. SEC. 1

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE 14x11x7 #6 MKS.: 1/4
18x12x8

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

B-S LOC. TAG IN 2 TREES

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____

Signature D.T.

Title S.A.

Division

Headquarters S.O.


Date 10/79

D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" K32" BRASS-CAPPED STEEL PIPE RISING
6" IN MOUND OF STONES ~ BURIED ORIGINAL
STONE ALONGSIDE PIPE.



ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

8" PP N37°W 15⁷/₁₆ FT. TO 60d NL. IN NNE SD., MKD. E/4 S1 BT

9" PP N35°E 19¹²/₁₆ FT. TO 60d NL. IN SE SD., MKD. W/4 S6 BT

Work Done By

R. OMAN

Title

PCS

Date 10/81

State Registration No. or Agency

OR-702

Certified Cor. Record Prepared

Yes

No

Filed At:

DESCH. CO. SURV. OFFICE

Date

10/81

REMARKS

Index File No

0153 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. C-01

USDA-FOREST SERVICE

Index File No. 0553

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)


Tract or Survey No.

Cor. No. C-05

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES E/A Cor Sec 6
 Merid. WILLAMETTE N.F. DESCHUTES State OREGON W/A Cor Sec 5

CORNER DIAGRAM

DESCRIBE CORNER MONUMENT FOUND



SF/NF

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER


PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
 Agency _____

Signature D.T. Title J.A. Division _____ Headquarters S.O. Date 10/79 D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 0553 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. C-05

USDA-FOREST SERVICE

Index

File No.

0953

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No.

C-09

T 17 S. R. 11 E.

R.D.

SISTERS

County

DESCHUTES

5/4 COR. SEC. 5

Merid. WILLAMETTE

N.F.


DESCHUTES

State

OREGON


1/4 COR. SEC. 4

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

1" PIPE W/ 2" CAP RSG. 3" MKD.
 STONE 16 X 13 X 5
 MKD. 1/4, 30' @ N 36° W FROM PIPE



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

10" JUN. BLAZED - NO SCRIBING

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature D.T.

Title S.A.

Division

Headquarters

J.O.


Date

10/79

D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT
 USED EXISTING MON. - A 1" STEEL-CAPPED STEEL PIPE
 RISING 4" IN A MOUND OF STONE - BURIED
 ORIGINAL STONE ALONGSIDE PIPE



ACCESSORIES DESCRIBE NEW ST's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

9" JUN. 545°W 82³ FT. TO 60d NL. IN NW BASG, MKD, E/4 S4 BT
 6" JUN. 554°E 70⁴ FT. TO 60d NL. IN SW BASG, MKD, W/4 S3 BT

Work Done By R. OMAN Title PLS Date 10/81 State Registration No. OR-702
 or Agency
 Certified Cor Record Prepared? Yes No Filed At: DESCH. Co. SURV. OFFICE Date 10/81

REMARKS

USDA-FOREST SERVICE

Index File No. 1353

CORNER RECORD (SEARCH)


(Ref. FSM 7151.4)

Tract or Survey No. _____ Cor. No. C-13

T 17 S. R. 11 E. R.D. ~~SISTERS~~ DESCHUTES County DESCHUTES E/4 Sec. 4

Merid. WILLAMETTE N.F. DESCHUTES State OREGON W/4 Sec. 3

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

1" PIPE W) 2" CAP RSG. 4"
STONE MKD. 1/4 ALONGSIDE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

2 POSS. BT'S RPS
10" JUN. WEST EAST 21' BLAZED, NO SCRIBING
10" " S25E 10' " "

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency


Signature Q.T. Title S.A. Division _____ Headquarters S.O. Date 10/79 7100-52 (10/70)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

USED EXISTING MON. A 2" STEEL-CAPPED STEEL PIPE
 RISING 4" IN A MOUND OF STONE ~ BURIED
 STONE ALONGSIDE PIPE

ABOUT 1580' WEST of ROAD



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10" JUN. N 37°W 27⁵⁵ FT. TO 60d NL. IN NORTH SIDE, MKD. E/4 S4 BT

6" PP S 42°E 74⁷⁴ FT. TO 60d NL. IN NE SIDE, MKD. W/4 S3 BT

Work Done By R. OMAN Title PCS Date 10/81 State Registration No. OR-702
 or Agency

Certified Cor. Record Prepared Yes No Filed At: DESCH. Co. SURV. OFFICE Date 10/81

REMARKS

USDA-FOREST SERVICE


Index File No. 0154
 T 17 S. R. 11 E. R.D. SISTERS
 Merid. WILLAMETTE N.F. DESCHUTES

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)


Tract or Survey No. _____ Cor. No. D-01
 County DESCHUTES 5/16 COR.
 State OREGON SEC. 6 & 1

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

1" PIPE w/ 1 1/2" CAP RSG. 1"
IN SMALL N.D./STUS. MKD.



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

27 1/2 CH. W. of B-S LOC. TAG


PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
 Agency _____

Signature D. T. Title S.A. Division _____ Headquarters S.O. Date 10/79 D-7100-52 (10/70)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 0154 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. D-01

USDA-FOREST SERVICE

Index

File No. 0554

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No. D-05

T 17 S. R. 11 E.

R.D. SISTERS County DESCHUTES

Merfd. WILLAMETTE N.F. DESCHUTES State OREGON

1/16 COR.


Merfd. WILLAMETTE

N.F. DESCHUTES

State OREGON

SEC. 5 & 6

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

2'X2' PILE of STONES

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

FS TAG ON TREE

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature

D.T.

Title

S.A.

Division

Headquarters

S.O.


Date

10/79

D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES: DESCRIBE NEW ST's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 0554 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. D-05

Index
File No. 0155

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or
Survey No.

Cor.
No. E-01

T 17 S. R. 11 E.

R.D. SISTERS

County DESCHUTES

~~SW~~ Cor Sec 6

Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON

NE Cor Sec 12

SEE: E-25
T 17S R 10E

BC

E-01

USDA-FOREST SERVICE

Index

File No.

0355

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No.

E-03

T 17 S. R. 11 E.

R.D. SISTERS County

DESCHUTES

1/4 COR. SEC. 6

Merid. WILLAMETTE

N.F. DESCHUTES State


OREGON

N/2 COR. SEC. 7

CORNER DIAGRAM

6

DESCRIBE CORNER MONUMENT FOUND



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

7

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

6

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

8

Signature

D.T.

Title

S.A.

Division

Headquarters

S.O.

Date

10/79


D-7100-52 (10/78)

4

5

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES: DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 0355 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. E-03

Index File No. 125 055

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No. _____

Cor. No. E-5

T 17S R. 11E

R.D. Sisters County Deschutes


SE Cor. Sec 6

Merid. Will

N.F. Deschutes State Oregon

NW Cor Sec 8

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

AT ORIG Cor. Secs 5,6,7 & 8 Mon. By George W. Newman in 1871 with A Stone 16"x11"x8" (Rec. 14"x9"x8") Firmly set in a small Mound of Stone MKd. with 1 notch on North and 5 notches on East.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

A Ponderosa Pine 20" Dia. BRS N57°E, 82 Ks. Dist (Rec N55°E), mkd. with A Double Blaze @ Top Blaze open @ Burned Face and Bottom Blaze completely Healed.

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Forest Road 1139, 725' N. of CINDERED RD.

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
 Agency _____

Signature _____

Title _____ Division _____

Headquarters _____ Date _____

7100-52-(3/68)

Dan Sankwich

Survey Tech

S.O. 7/76

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

AT The Cor PT Set a 25"x28" IP 29" in GRND with RC MKd.
 ORIG Stone Deposited Along Side IT

RSG. 10"



9

ACCESSORIES: DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

A Pine 11" Dia. Brs S63 1/4° E, 141 IKs Dist MKd. T17SR11ES8 BT
 A Pine 15" Dia. Brs. S74° W 100 IKs Dist MKd. T17SR11ES7 BT
 A Pine 11" Dia. Brs. N30° W 122 IKs Dist MKd. T17SR11ES6 BT

B.T. Tags Posted

10

Work Done By Joe Garrison Title BLM Date 7/76 State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

11

REMARKS

Index File No. 0555 T. 17 R. 11 M. _____ Tract or Surv. No. _____ Cor. E-05

12

13

USDA-FOREST SERVICE

Index

File No. 0755

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No. E-07

T 17 S. R. 11 E.

R.D. SISTERS

County DESCHUTES

5/4 COR. SEC. 5

Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON

N/4 COR. SEC. 8

CORNER DIAGRAM

5



8

DESCRIBE CORNER MONUMENT FOUND

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature

D. T.


Title S. A. Division

Headquarters S. O.

Date 10/79 D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____ 10

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____ 11

REMARKS

Index File No. 0755 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. E-07 12 13

USDA-FOREST SERVICE

Index

File No. 0955

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)


Tract or Survey No.

Cor. No. E-09

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES SECOR. SEC. 5

Merid. WILLAMETTE N.F. DESCHUTES State OREGON NW COR. SEC. 9

CORNER DIAGRAM




DESCRIBE CORNER MONUMENT FOUND

1" PIPE w/ 2" CAP RSG. 3"

STONE w/ 4 NOTCHES

MKD.



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

STUMP N70°W 10' FT. MKD. "BT"

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

7

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

8

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

675' S. of RD.
275' E. of RD.

Signature D.T.

Title S.A. Division

Headquarters S.O.

Date 10/79 -7100-52 (10/78)


4

5

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

USED EXISTING MONUMENT ~ A 1" STEEL-CAPPED STEEL PIPE RISING 4" IN A MOUND OF STONE ~ BURIED ORIGINAL STONE ALONGSIDE PIPE.



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

6" JUN. N 49° W 10⁷⁴ FT. TO 60d NAIL IN NE SIDE, MKD. T175 R11E S5 BT
 14" JUN. N 67° E 41⁴⁸ FT. TO 60d NAIL IN NW SIDE, MKD. T175 R11E S4 BT
 8" JUN. S 60° E 9⁵⁴ FT. TO 60d NAIL IN NE SIDE, MKD. T175 R11E S9 BT
 10" P.P. S 54° W 88³⁷ FT. TO 60d NAIL IN W. SIDE, MKD. T175 R11E S8 BT

Work Done By R. OMAN Title PLS Date 10/81 State Registration No. or Agency OR-702

Certified Cor. Record Prepared? (Yes) No Filed At: DESCH. CO. SURV. OFFICE Date 10/81

REMARKS

Index File No. 0955 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. E-09

USDA-FOREST SERVICE

Index File No. 1155

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or Survey No. _____
Cor. No. E-11

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES 3/4 Cor. Sec. 9
Merid. WILLAMETTE N.F. DESCHUTES State OREGON N/4 Cor. Sec. 9

CORNER DIAGRAM


4

DESCRIBE CORNER MONUMENT FOUND

1" PIPE w/ 2" CAP

STONE MKD. 1/4

MKD.



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

9

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature D.T.

Title S.A. Division _____

Headquarters S.O.

Date 10/79 7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

USED EXISTING MONUMENT - A 1" STEEL-CAPPED STEEL PIPE
 RISING 4" IN A MOUND OF STONES - BURIED
 ORIGINAL STONE ALONGSIDE PIPE.

ABOUT 550' EAST of ROAD.

T 17 S
 1/4 4/9 R
 PLS OR-202
 1981 COR

ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

12" PP S 1/4° W 50³⁸ FT. TO 60d NL. IN E. SD., MKD. N/A S 9 BT

16" PP N 10° W 97³² FT. TO 60d NL. IN NE SD., MKD. S/A S 4 BT

Work Done By R. OMAN Title PLS Date 10/81 State Registration No. OR-202
 or Agency

Certified Cor. Record Prepared Yes No Filed At DESCH. CO. SURV. OFFICE Date 10/81

REMARKS

Index File No. 1155

T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. E-11

USDA-FOREST SERVICE

Index
File No. 1355

CORNER RECORD (SEARCH)


(Ref. FSM 7151.4)

Tract or
Survey No.

Cor.
No. E-13

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES SE COR. SEC. 4
Merid. WILLAMETTE N.F. DESCHUTES State OREGON NW COR. SEC. 10

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE 13" X 10" X 9" P.S.G. 5"
3 NOTCHES E. SIDE; 1 NOTCH N. SIDE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

ORIG. BT: APPEARS TO HAVE BEEN
TRANSPORTED ~ VIS: T17SR11 BT

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____ 7

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

1870' WEST OF ROAD

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____ 8

Signature D.T.

Title S.A. Division

Headquarters S.O.

Date 10/19 7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" x 32" BRASS-CAPPED STEEL PIPE RISING 6"
 IN MOUND of STONES ~ BURIED ORIGINAL
 STONE ALONGSIDE PIPE

T 17 S
 R 11 E
 4 3
 6 9 10
 PLS OR-702
 1988

ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

9" JUN. S72°W 35⁹⁵ FT. TO 60d NAIL IN N. SIDE, MKD. T17S R11E S9 BT
 9" JUN. N18°W 35⁸² FT. TO 60d NAIL IN NE SIDE, MKD. T17S R11E S4 BT
 9" P.P. S22°E 62⁵⁵ FT. TO 60d NAIL IN NE SIDE, MKD. T17S R11E S10 BT
 9" JUN. N45°E 11⁰⁴ FT. TO 60d NAIL IN SE BASE, MKD. T17S R11E S3 BT

Work Done By ROMAN Title PLS Date 10/81 State Registration No. or Agency OR-702

Certified Cor. Record Prepared? Yes No Filed At: DESCH. CO. SURV. OFFICE Date 10/81

REMARKS

Index File No. 1355 T. 17 S., R. 11 E., W.M. Tract or Surv. No. Cor. E-13

USDA-FOREST SERVICE

Index

File No. 0157

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No. _____

Cor.

No. G-01

T 17 S. R. 11 E.

R.D. JASTERS

County DESCHUTES

W/4 Cor. Sec. 7


Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON

E/4 Cor. Sec. 12

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

SF/NF

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature D. T.

Title S.A.


Division _____

Headquarters S. O.

Date 10/79 -7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 0157 T. 17 S., R. 11 E., W.M. Tract or Surv. No. Cor. 6-01

USDA-FOREST SERVICE

Index File No. 0557

CORNER RECORD (SEARCH)


(Ref. FSM 7151.4)

Tract or Survey No.

Cor. No. G-05

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES Merid. WILLAMETTE N.F. DESCHUTES State OREGON
w/s Cor. Sec. 7
E/s Cor. Sec. 8

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

SF/NF

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Signature D.T.

Title SA.


Division _____

Headquarters SO.

Date 0/19 -7100-52 (10/70)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____ 10

Certified Cor. Record Prepared? Yes No Filed At _____ Date _____ 11

REMARKS

Index File No. 0557 T. 17 S., R. 11 E., W.M. Tract or Surv. No. Cor. G-05 12

USDA-FOREST SERVICE


Index File No. 0957

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or Survey No. _____
Cor. No. G-09

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES W/4 COR. SEC. 8
Merid. WILLAMETTE N.F. DESCHUTES State OREGON E/4 COR. SEC. 9

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

M.D. of STONE IN APPROX. LOC.
NO PER. EV.

15X14X4 STONE MKD. 4

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

1300' W. of ROAD

PLANE COORDINATE POSITION DATA


State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature D.T. Title S.A. Division _____ Headquarters S.O. Date 10/19 7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 32" BRASS-CAPPED STEEL PIPE RISING 7"
IN A MOUND OF STONE ~ BURIED ORIGINAL
STONE ALONGSIDE PIPE,



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

11" P.P. S 72° E 75 ⁹⁸ FT. TO 60d NAIL IN S. SIDE, MKD. W/4 S9 BT
11" JUN. N 84° W 54 ⁹¹ FT. TO 60d NAIL IN N. SIDE, MKD. E/4 S8 BT

Work Done By R. OMAN Title PLS Date 10/81 State Registration No. or Agency OR-702

Certified Cor. Record Prepared? Yes No Filed At: DESCH. CO. SURV. OFFICE Date 10/81

REMARKS

Index File No. 6957 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. 6-09

USDA-FOREST SERVICE

Index
File No. 1357

CORNER RECORD (SEARCH)


(Ref. FSM 7151.4)

Tract or
Survey No.

Cor.
No. G-13

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES E/4 COR. SEC. 9
Merid. WILLAMETTE N.F. DESCHUTES State OREGON W/4 COR. SEC. 10

CORNER DIAGRAM




DESCRIBE CORNER MONUMENT FOUND

1" PIPE W/ 2" CAP RSG. 2"

No Stone

MKD.



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Signature

D.T.

Title

S.A.

Division

Headquarters

S.O.


Date

10/79

7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 1357 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. G-13

Index File No. 0159
CORNER RECORD (SEARCH) (Ref. FSM 7151.4) Tract or Survey No. J-01
Cor. No. J-01
T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES SW Coy Sec. 7
Merid. WILLAMETTE N.F. DESCHUTES State OREGON NE Coy Sec. 13

SEE: J-25
T 17S R 10E

PC
BLM

J-01

Index
File No. 0159 CORNER RECORD (SEARCH) (Ref. FSM 7151.4) Tract or Survey No. Cor. No. J-01
T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES SW Cor Sec. 7
Merid. WILLAMETTE N.F. DESCHUTES State OREGON NE Cor Sec. 13.

SEE: J-25
T 17S R 10E

RC
BLM

Index

File No. DB 0359

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No. _____

Cor. No. J-3

T J7S R. 11E

R.D. Sisters

County Deschutes

S/4 Cor Sec 7

Meas. id. Will

N.F. Deschutes

State Oregon

N/4 Cor Sec 18

CORNER DIAGRAM

DESCRIBE CORNER MONUMENT FOUND

AT ORIG $\frac{1}{4}$ Cor Secs 7 & 18, mon. By George W. Newman in 1871 with A Basalt Stone 18"x14"x5" (Rec 14x10x4) Firmly set in mound Stone 2 1/2 ft Base 1 1/2 ft High mkd $\frac{1}{4}$ on North Face

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Bull Spr.




PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Established By _____

Agency

Signature

Dan Sankwich

Title

Survey Tech

Division

Headquarters

S.O.

Date

7/76

7100-52-(3/68)

4

5

Index

File No. DB 0359

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)


Tract or Survey No. _____

Cor. No. J-3

T 17S R. 11E R.D. Sisters County Deschutes 5/4 Cor Sec 7

Merid. Will N.F. Deschutes State Oregon N/4 Cor Sec 18

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

AT ORIG 1/4 Cor Secs 7 & 18, mon. By George W. Newman in 1871 with A Basalt Stone 18"x14"x5" (Rec 14x10x4) Firmly set in mound Stone 2 1/2 ft Base 1 1/2 ft High mkd 1/4 on North Face

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Bull Spr.

Signature

Title

Division

Headquarters

Date

7100-52-(3/68)

Dan Sankwich

Survey Tech

S.O.

7/76

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

AT Cor PT set A 2½"x28" IP 24" in GRND, with RC MKd.
 Orig Stone Deposited Along side IP
 Raise A Mound of Stone 2½' Base To Top of IP

9

ACCESSORIES: DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

A Pine 8" Brs N 5¾°E, 281ks Dist. MKd. ¼ S7 BT
 A Pine 10" Brs S 7½°E, 351ks Dist. MKd. ¼ S18 BT

BT Tags Posted

10

Work Done By Joe Garrison Title BLM Date 7/76 State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____ 11

REMARKS

Index File No. 0359 T. 17 R. 11 M.

Tract or Surv. No. _____

Cor. J-03 13

12

USDA-FOREST SERVICE

Index File No. 0559

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No.

T 17 S. R. 11 E.

R.D. SISTERS County

DESCHUTES

SE COR. SEC. 7


Merid. WILLAMETTE

N.F. DESCHUTES State

OREGON

NW COR. SEC. 17

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

APPROX. COR. 928' S. of ORE. ST. LOC. TAG & B-STAG.
FD. CRUISER'S GARBAGE - 2 KNITTING NEEDLES
1/2 MD. of ST. ON RIM - NO DEF. STONE
2ND. LOC. 627' E. of B-5 LOC. TAG 154 MD.
of STONE

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
 Agency _____

Signature D. T.

Title S.A.


Division _____

Headquarters S.O.

Date 10/79 -7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No 0559 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. J-05

USDA-FOREST SERVICE

Index

File No.

0759

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No.

J-07

T 17 S. R. 11 E.

R.D. SISTERS County

DESCHUTES

S/A COR. SEC. 8

Merid. WILLAMETTE


N.F. DESCHUTES State

OREGON

N/A COR. SEC. 17

CORNER DIAGRAM

8



17

DESCRIBE CORNER MONUMENT FOUND

STONE 18" X 12" X 8" LYING FLAT ON GROUND, MKD. $\frac{1}{4}$

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

7

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

8

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Signature

D.T.

Title S.A.

Division

Headquarters

S.O.

Date

6/79


7100-52 (10/78)

4

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 3/2" BRASS-CAPPED STEEL PIPE RISING 4"
 IN MOUND of STONES ~ BURIED STONE
 ALONGSIDE PIPE.



ACCESSORIES DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

11" PP N 31° E 54° FT. TO 60d NAIL IN NW SIDE, MKD. 5/4 S8 BT
 11" PP S 21° W 89° FT. TO 60d NAIL IN NW SIDE, MKD. N/A 317 BT

Work Done By R. OMAN Title PLS Date 10/81 State Registration No. OR-702
 or Agency

Certified Cor. Record Prepared? Yes No Filed At: DESCH. CO. SURV. OFFICE Date 10/81

REMARKS

Index File No. 0759 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. J.07

Index
File No. J-9 0959

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or
Survey No. _____

Cor.
No. J-9

T 17S R. 11E

R.D. Sisters

County Deschutes

SE Cor Sec 8


Merid. Will

N.F. Deschutes

State Oregon

NE1 Cor Sec 16

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

AT Orig Cor secs 8, 9, 16, & 17, mon By George W. Newman in 1871 with a Basalt stone, 16"x10"x10" (Rec 14"x8"x8") Firmly set 7" in Grnd in small mound stone mkd with 1 notch on North and 4 notches on East. Edges.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

A Sawn & Burned Pine Stump, 14" Diam, Brs. S32°E (Rec S35°E), 561Ks Dist, with scribe MK "T" visible on Burned open face.

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Forest Road 1139, 700' WEST of

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature

Title

Division

Headquarters

Date

Dan Sankwich

Survey Tech

SOI

7/76

7100-52-(3/68)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

AT Cor. PT. Set A $2\frac{1}{2} \times 28$ I.P. 29" in GRND. *RSG. $3\frac{1}{2}$ "*
 Orig. Stone Deposited A Long side I.P.
 Raised small mound of Stone to Top of I.P.

9

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

A Pine 15" BRS N $40\frac{1}{2}^\circ$ E, 951 Ks. MKd. T17SR11ES9 BT
 A Pine 20" BRS S $82\frac{3}{4}^\circ$ E, 1591 Ks. MKd. T17SR11ES16 BT
 A Pine 8" BRS S $20\frac{3}{4}^\circ$ W, 861 Ks. MKd. T17SR11ES17 BT
 A Juniper 7" BRS N $64\frac{3}{4}^\circ$ W 831 Ks. MKd. T17SR11ES8 BT

B.T. Tags
 Posted ₁₀

Work Done By Joe Garrison Title BLM Date 7/76 State Registration No. _____
 or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____ ₁₁

REMARKS

Index File No. 0959 T. 17 R. 11 M.

Tract or Surv. No.

Cor. J-09 ₁₃

USDA-FOREST SERVICE

Index
File No. 1159

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor. No. J-11

T 17 S. R. 11 E.

R.D. SISTERS County DESCHUTES


3/4 Cor. Sec. 9

Merid. WILLAMETTE

N.F. DESCHUTES State OREGON

1/4 Cor. Sec. 16

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

3' X 3' X 1' M.D. / STN.
NO POS. EV.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____

Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature D.T.

Title S.A.


Division _____

Headquarters S.O.

Date 10/19 160-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 1159 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. J-11

USDA-FOREST SERVICE

Index File No. 1159

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No.

Cor. No. J-11

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES 3/4 Cor. Sec. 9
Merid. WILLAMETTE N.F. DESCHUTES State OREGON 1/4 Cor. Sec. 16

CORNER DIAGRAM

9

DESCRIBE CORNER MONUMENT FOUND

3' X 3' X 1' M.D. / STN.
NO POS. EV.



16

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____

Signature D.T.

Title S.A.


Division _____

Headquarters S.O.

Date 10/19 D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 1159 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. J-11

In **d**ex

File No. 1359

T 17S R. 11E

Merid. Will

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

R.D. Sisters

County Deschutes

N.F. Deschutes State Oregon


Tract or Survey No. _____

Cor. No. J-13

SE Cor Sec 9

NE1 Cor Sec 15

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

AT Orig Cor Secs 9, 10, 15, & 16 Mon By George W. Newman in 1871 with a Basalt stone, 14"x8"x6", Loosely set 2" in Grnd, mkd. with 2 notches on North & 3 on East Edges.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

A Pine, 25" Diam, Brs S47°E, 631ks Dist., with 11LEG Scribe marks Visible on Partially opened Double Blaze.

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

275' S. of SPUR RD.

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature

Title

Division

Headquarters

Date

Dan Sankwich

Survey Tech.

S.O.

7/76

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

At Cor. Pt. set a 2 1/2 x 28 I.P. 24 in. Grnd.

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

A Pine 25", Brs N 2° E 173 1/2 I.Ks, MKd. T17SR11ES10 BT
A Juniper 10", Brs S 48 1/4° W 88 I.Ks MKd. T17SR11ES16 BT
A Juniper 7", Brs. N 72 3/4° W 67 I.Ks MKd. T17SR11ES9 BT
BT Tags Posted

Work Done By Joe Garrison Title RLM Date 7/76 State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 1359 T. 17 R. 11 M. Tract or Surv. No. _____ Cor. J-13

Index
File No. 0161
T. 17 S. R. 11 E. R.D. BEND

CORNER RECORD (SEARCH)
(Ref. FSM 7.151.4)


Tract or Survey No. _____
Cor. No. L-01

Merid. WILLAMETTE

N.F. DESCHUTES State OREGON

County DESCHUTES W/4 COR. of SEC. 18
E/4 COR. of SEC. 13

CORNER DIAGRAM PER LEGEND



DESCRIBE CORNER MONUMENT FOUND

STONE 15 X 12 X 8 MKD. $\frac{1}{4}$ ALONG SIDE
MOUND of STONE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Corner Legend:
 Searched for/Not Found
 Evidence Found/Accept.
 Permanent Monument


Signature S. CHAMBERLIN Title S.T. Division _____ Headquarters S.O. Date 9/81 D-7100-52 (3/79)

CORNER RECORD (PERPETUATION)

MONUMENT DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 32" ALUMINUM-CAPPED ALUMINUM PIPE
RISING 6" IN MOUND OF STONE ~ BURIED
ORIGINAL STONE ALONGSIDE PIPE.

MONUMENT STARTED



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

6" PP N 11° W 33.42 FT. TO 60d NAIL IN W. SIDE, MKD, E/4 S13 BT
A 3 1/2 FT. HIGH ROCK OUTCROP ON A ROCK PROMONTORY OF A SE FACING
ROCK RIM BRS. S 80° E 59.81 FT. TO "X" IN MARK "BXO"

Work Done By R. OMAN Title PLS Date 10/81 State Registration No. OR-702
or Agency
PLAT PREPARED OR
Certified Cor Record Prepared? Yes No Filed At: DESOULT. CO. SURVEYOR'S OFFICE Date 10/81

REMARKS

USDA-FOREST SERVICE

Index File No. 0561

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No.

Cor. No. L-05

T 17 S. R. 11 E.

R.D. SISTERS

County DESCHUTES

E/4 1/4 Sec. 18


Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON

W/4 Sec. 17

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

AREA 3 CH. N. of LOC. TAG - LOGGED OVER - NO SIGN of COR.

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
Agency

Signature

D.T.

Title

J.A.

Division

Headquarters

S.O.


Date

10/79

D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At _____ Date _____

REMARKS

Index File No. 0561 T. 17 S., R. 11 E., W.M.


Tract or Surv. No.

Cor. 6-05

In **Index**
 File No. **209 U**
 T **17S** R. **11E**
 Merid. **Will**
 CORNER DIAGRAM

CORNER RECORD (SEARCH)
 (Ref. FSM 7151.4)

R.D. **Sisters** County **Deschutes** State **Oregon**
 N.F. **Deschutes**
 Tract or Survey No. _____
 Cor. No. **L-9**
E/4 Cor Sec 17
W/4 Cor Sec 16



DESCRIBE CORNER MONUMENT FOUND
 AT Orig $\frac{1}{4}$ Cor Secs 17/16, mon By George W. Newman
 in 1871 with A Basalt stone, 14" x 14" x 6" (Rec 12" x 12" x 5")
 Firmly set 6" in Grnd, mKd: " $\frac{1}{4}$ " on West Face.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA
 Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER
800' ON SPUR RD. OFF of FS RD. #1139

PLANE COORDINATE POSITION DATA
 Sta to _____ Zone _____
 X _____
 Y _____
 Estab. By _____
 Agency _____

Signature **Dean Sankwich** Title **Survey Tech.** Division _____ Headquarters **S.O.** Date **7/76**
 7100-52-(3/68)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

AT Cor PT Set A 2 1/2 x 28 IP 29 in Grnd.
Orig Stone Deposited Along side IP

9

ACCESSORIES : DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

A Pine 10", BRs N 81 1/4° E, 871Ks, MKd. 1/4 S16 BT
A Pine 10", BRs S 68 3/4° W, 371Ks, MKd. 1/4 S17 BT

BT Tags Posted

10

Work Done By Joe Garrison Title BLM Date 7/76 State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: BLM Date _____

11

REMARKS

Index File No. 0961 T. 17 R. 11 M.

Tract or Surv. No.

Cor. L-09

12
13

USDA-FOREST SERVICE

Index File No. 0163

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No. N-01

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES

Merid. WILLAMETTE N.F. DESCHUTES State OREGON NE Cor. Sec. 24
SW Cor. Sec. 18

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE 21" X 8" X 9" RSG. 12"
w/ 3 NOTCHES ON N. SIDE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

ORIG. BT: 31" ROTTING STUMP 20" HIGH
BRS. 530°W 114 FT.
VIS: TOE BLAZE MKD. "T"

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature 7

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

759' N. of LOC. TAG AT ROAD # 700
FD. KNITTING NEEDLE & CRUISER'S JUNK

PLANE COORDINATE POSITION DATA


State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency 8

Signature D.T. Title S.A. Division _____ Headquarters S.O. Date 10/79 D-7100-52 (10/78) 5

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 32" BRASS-CAPPED STEEL PIPE RISING 3"
IN A MOUND OF STONE ~ BURIED ORIGINAL STONE
ALONGSIDE PIPE.



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

12" PP N70°W 26⁹³ FT. TO 60d NAIL IN SE BASE, MKD. T175 R10E S13 BT
11" PP N41°E 4⁹⁶ FT. TO 60d NAIL IN NW BASE, MKD. T175 R10E S18 BT
4" PP S17°E 26⁹⁷ FT. TO 60d NAIL IN SW SIDE, MKD. T175 R11E S19 BT
8" PP S57°W 20¹² FT. TO 60d NAIL IN NW SIDE, MKD. T175 R10E S24 BT

Work Done By R. OMAN Title PLS Date 10/81 State Registration No. OR-702
or Agency

Certified Cor. Record Prepared? Yes No Filed At DESCH. CO. SURV. OFFICE Date 10/81

REMARKS

Index File No. 0163 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. N-01

USDA-FOREST SERVICE

Index File No. 0363

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No.


Cor. No. N-03

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES 1/4 Cor. Sec. 18
Merid. WILLAMETTE N.F. DESCHUTES State OREGON N/A Cor. Sec. 19

CORNER DIAGRAM

18

DESCRIBE CORNER MONUMENT FOUND



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

2

19

6

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____

Signature

7

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

3

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____

Agency

8

Signature D.T.

Title S.A.

Division

Headquarters SO


Date 10/79

4

FD-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 0363 T. 17 S., R. 11 E., W.M.

Tract or Surv. No

Cor. N-03

Index

File No. 0563

T 17S R. 11E

Merid. Will

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

R.D. Sisters

County

Waschutes

N.F. Waschutes

State

Oregon

Tract or

Survey No.

Cor.


No.

N-5

SE COR. SEC. 18

NW COR. SEC. 20

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

AT ORIG Cor. Secs 17, 18, 19, & 20 mon By George W. Newman in 1871 with a Basalt stone 14"x12"x6" Firmly set 8" in Grnd, MKd with 3 notches on North & 4 notches on East Edges.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

A Sawn Rotten and Burned Pine stump 20" Dia Brs. N 48° W, 46 IKs Dist MKd with Burned open Face Facing Cor.

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature J.E.

Title S.A. Division

Headquarters

Date 10/20 7100-52-(3/68)

Dan Sankwich

Survey Tech

S.O.

7176

4
5

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

AT Cor Pt. set A 2 1/2 x 28 IP 29 in Grnd.

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

- A Pine 12" Brs. N 66° E, 28 1/2 Ks MKd T17SR11E S17 BT
- A Pine 10" Brs. S 29 1/2° E, 52 Ks MKd T17SR11E S20 BT
- A Pine 4" Brs. S 38 3/4° W, 55 Ks MKd "X" at Breast High BT at Bottom
- A Pine 22" Brs N 75 1/2° W, 60 Ks MKd T17SR11E S18 BT

10

Work Done By Joe Garrison Title BLM Date 7/76 State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

11

REMARKS

BT Tags Posted

Index File No. 0563 T. 17 R. 11 M. Tract or Surv. No. _____ Cor. N-0 S

12

13

USDA-FOREST SERVICE

Index File No. 0763

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)


Tract or Survey No.

Cor. No. N-07

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES 3/4 Cor. Sec. 17

Merid. WILLAMETTE N.F. DESCHUTES State OREGON 1/4 Cor. Sec. 20

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE 16 X 13 X 7 RSG. 5"
MKD. 1/4 ON SW FACE

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

NONE MADE

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER


± 660' EAST of LOCATION MARKER ON
CINDERED ROAD.

Signature D. T. W. MILLER Title S.A. Division S.O. Headquarters 9/81 Date 10/79 D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 32" A-C A.P. RSG. 6" IN MOUND of STONES.
BURIED ORIG. STONE ON S. SIDE of PIPE.



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

9" PP N42°W 75⁸ FT. TO 60' NL. IN NE BASE, MKD. S/4 S17 BT
7" PP S15°W 18²⁸ FT. TO 60' NL. IN NW BASE, MKD. N/4 S20 BT

Work Done By R. OMAN Title PLS Date 9/81 State Registration No. or Agency OR-702

Certified Cor. Record Prepared Yes No Filed At DESCH. Co. SURVEYORS OFFICE Date _____

REMARKS

Index File No. 0763 T. 17 S., R. 11 E., W.M.

Tract or Surv. No. _____

Cor. N-07

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

AT Cor PT. set a 2 1/2 x 28 I.P. 24" in Grnd.
 Orig Stone Deposited Along side I.P.
 Raised small mound of Stone

9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

A Pine 14", N 14° E 94 1/2 I.Ks, mKd T17SR11E S16 BT
 A Pine 19", S 84° E 47 I.Ks, mKd T17SR11E S21 BT
 A Pine 6", S 31° W 87 I.Ks, mKd T17SR11E S20 BT
 A Pine 6", N 69 1/2° W 65 1/2 I.Ks, mKd T17SR11E S17 BT

10

Work Done By Joe Garrison Title BLM Date 7/76 State Registration No. _____
 or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

11

REMARKS

B.T. Tags Posted.

Index File No. 0963 T. 17 R. 11 M.

Tract or Surv. No.

Cor. N-09³

12

Index
File No. #0963

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or
Survey No. _____
Cor. No. N-9

T 17S R. 11E

R.D. Sisters County Deschutes


SE Cor Sec 17

Merid. Will

N.F. Deschutes State Oregon

NW Cor Sec 21

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

AT ORig Cor secs. 16, 17, 20, & 21 Mon By George W. Newman in 1871 with a Basalt stone 16"x8"x7" (Rec. 15"x8"x6") Firmly set 7" in Grnd, small mound stone mkd. with 3 notches on North & 4 notches on East Edges 2

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

A Sawn Burned & Rotten Pine stump, 8" Diam, Brs. N 11° W (Rec. N 18° W) 45 Yrs Dist, No MKs Remain.

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature

Title

Division

Headquarters

Date

7100-52 (3-68)

Dan Sankwich

Survey Tech.

S.O.

7/76

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

AT Cor PT. set a $2\frac{1}{2} \times 28$ " IP. 24" in Grnd.
 Orig Stone Deposited A Long side IP.
 Raised small mound of Stone

9

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

A Pine 14"; N 14° E 94 $\frac{1}{2}$ IKs, mkd T17SR11ES16 BT
 A Pine 19"; S 84° E 47 IKs, mkd T17SR11ES21 BT
 A Pine 6"; S 31° W 87 IKs, mkd T17SR11ES20 BT
 A Pine 6"; N $69\frac{1}{2}^\circ$ W 65 $\frac{1}{2}$ IKs, mkd T17SR11ES17 BT

10

Work Done By Joe Garrison Title BLM Date 7/76 State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

11

REMARKS

B.T. Tags Posted.

Index File No. 0963 T. 17 R. 11 M. Tract or Surv. No. _____ Cor. N-09¹²

12

USDA-FOREST SERVICE

Index File No. 1163

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)


Tract or Survey No. _____
Cor. No. N-11

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES 5/4 Cor. Sec. 16

Merid. WILLAMETTE N.F. DESCHUTES State OREGON N/A Cor. Sec. 21

CORNER DIAGRAM 16

DESCRIBE CORNER MONUMENT FOUND _____



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND _____

PHOTO IDENTIFICATION DATA
Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____


DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER _____

PLANE COORDINATE POSITION DATA
State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____

Signature D.T. Title S.A. Division _____ Headquarters 701 Date 10/79 7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 1163 T. 17 S., R. 11 E., W.M.

Tract or Surv. No

Cor. N-11

Index File No. B 1363

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

T 17S R. 11E

R.D. Sisters

County Deschutes

Tract or Survey No. _____

Cor. No. N-13

Merid. Will


N.F. Deschutes

State Oregon

SE Cor Sec 16

NW Cor Sec 22

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

AT Orig Cor Secs 15, 16, 21, & 22 mon By George W. Newman in 1871 with A Basalt stone 16"x12"x10" (Rec 14"x8"x6") Firmly set 8" in Grnd. MKd with 3 Notches on North and East Edges with MS. 2 1/2 ft Base 1 1/2" High

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

West of Cor.
A Completely Rotted Pine Stump 10" Diam. Brs. S 66° W 97' Ks Dist. No MKs Remain.

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Forest Road 1139
150' N. OFF f RD. 1139

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____

Signature Dan Sankwich Title Survey Tech. Division _____ Headquarters S.O. Date 7/76

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

At Cor. Pl. set A 2 1/2' x 28' I.P. 29' in Grnd. **RS6. 5"**
 Orig stone Deposited Along side I.P.

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

A Juniper 9" Brs N 60°E 40 IKs MKd T17SR11ES15BT
 A Pine 25" Brs S 67 1/2°E 39 IKs MKd T17SR11ES22BT
 A Pine 9" Brs S 75 3/4°W 99 IKs MKd T17SR11ES21BT
 A Pine 9" Brs N 76 3/4°W 98 IKs MKd T17SR11ES16BT

Work Done By Joe Garrison Title BLM Date 7/76 State Registration No. _____
 or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

B.T. Tags Posted

Index File No. 1363 T. 17 R. 11 M. _____ Tract or Surv. No. _____ Cor. N-13

Index
File No. 1563

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)


Tract or
Survey No. _____

Cor.
No. N-15
3/4 Cor Sec 15
N/4 Cor Sec 22

T 17S R. 11E
Merid. Will

R.D. Sisters County Deschutes
N.F. Deschutes State Oregon

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

AT Orig $\frac{1}{4}$ Cor Secs $\frac{15}{22}$ Record Bearing & Dist.
From George W. Newmans in 1871.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

A Sawed & Rotted Pine stump, 14" Dia, 2 1/2" High,
Brs N 52° E, 27/ks Dist., with scribe MKs "BT" visible
on open & Rotted Face.
S.W. BT Gone

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

160' E. OFF OF FS SPUR RD.

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____

Signature

Dan Sankwich

Title

Survey Tech

Division

Headquarters

S. O.

Date

7/76

7100-52-(3/68)

CORNER RECORD (PERPETUATION)

MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

At Cor. Pt. set A 2 1/2" x 28" IP 24" in Grnd

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

A Pine 9" Brs N 29° E, 821Ks MKd 1/4 S15 BT
A Pine 12" Brs S 45° W, 831Ks MKd 1/4 S22 BT

BT Tags Posted

Work Done By Joe Garrison Title RLM Date 7/16 State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 1563 T. 17 R. 11 M. Tract or Surv. No. Cor. N-15¹²₁₃

USDA-FOREST SERVICE

Index
File No. 0165

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)


Tract or
Survey No.

Cor.
No. P-01

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES W/4 Cor. Sec. 19

Merid. WILLAMETTE N.F. DESCHUTES State OREGON E/4 Cor. Sec. 24

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

Signature D.T. J.E.

Title J.A.

Division

Headquarters

S.O.


Date 10/79

10/80

FD-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 0165 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. P-01

Index
File No. 0565

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or
Survey No.

Cor.
No. P-05

T 17 S. R. 11 E.

R.D. SISTERS

County DESCHUTES

6/4 C.A. SEC. 19

Merid. WILLAMETTE


N.F. DESCHUTES

State OREGON

W/4 C.A. SEC. 20

CORNER DIAGRAM

DESCRIBE CORNER MONUMENT FOUND



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

FS Loc. TAG on TR. SAYS COR. IS \pm 310 FT. S., BUT AREA DISTURBED BY LOGGING

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature J.E.


Title S.A. Division

Headquarters S.O.

Date 10/80

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

11

REMARKS

Index File No. 0565 T. 17 S., R. 11 E., W.M.

Tract or Surv. No

Cor. P-05

12

13

Index

File No. 0965

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No. P-09

T 17 S. R. 11 E.

R.D. SISTERS

County DESCHUTES

E/4 Coy. SEC. 20


Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON

W/4 Cor. SEC. 21

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE 13x9x8 MKD. 1/4 ON E. FACE
 15" x 10" x 7"
 W/ MD. of STONE LYING 1' WEST
 SET 9" IN GROUND

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

NONE MADE

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

290' N. of ROAD

Signature D.T. W. MILLER

Title S.A.

Division S.O. Headquarters

9/81

Date


10/79

D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 32" B-C S.A. R56. 6" IN A MOUND of STONES.
BURIED ORIG. STONE ON S. SIDE of A.P.E.



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

6" PP S42°E 39⁷¹ FT. TO 60d NL. IN SW BASE, MKD. W/A S21 BT

7" PP S18°W 36⁶⁰ FT. TO 60d NL. IN E. BASE, MKD. E/A S20 BT

Work Done By R. OMAN Title PLS Date 9/81 State Registration No. OR-702
or Agency

Certified Cor. Record Prepared Yes No Filed At DESCH. CO. SURVEYORS OFFICE Date

REMARKS

Index

File No. 1365

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No.

Cor. No. P-13

T 17 S. R. 11 E.

R.D. SISTERS County DESCHUTES


1/4 Cor. Sec. 21

Merid. WILLAMETTE

N.F. DESCHUTES State OREGON

1/4 Cor. Sec. 22

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

7

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

8

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Signature

D.T.

Title

S.A.

Division

Headquarters

S.O.


Date

10/79

D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW ST'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared ? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 1365 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

P-13

Index
File No. 0167 CORNER RECORD (SEARCH) Contract or
(Ref. FSM 7151.4) Survey No. Cor. No. R-01
T 17 S. R. 11 E. R.D. Bend County Deschutes NW Cor. of
Merid. WILLAMETTE N.F. DESCHUTES State OREGON Section 30

SEE: R-25 T. 17 S., R. 10 E., W.M.

SFNF





USDA-FOREST SERVICE

Index
File No. 0567

CORNER RECORD (SEARCH)


(Ref. FSM 7151.4)

Tract or
Survey No.

Cor.
No. R-05

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES SE COR. SEC. 19

Merid. WILLAMETTE N.F. DESCHUTES State OREGON NW COR. SEC. 29



DESCRIBE CORNER MONUMENT FOUND

2

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

3

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature _____

7

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

4

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____


Agency _____

8

Signature N.K. Title S.A. Division _____ Headquarters S.O. Date 10/80 D-7100-52 (10/78) 5

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

11

REMARKS

Index File No. 0567 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. R-05

12

13

Index

File No. 80969

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No. _____

Cor. No. R-09

T 17S R. 11E

R.D. Sisters


County Deschutes

Merid. Will

N.F. Deschutes

State Oregon

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

AT Orig. Cor Secs 20, 21, 28, & 29 mon. By George W. Newman in 1871 with A Basalt stone, 13"x8"x7" Firmly set 6" in Grnd. mkd with 4 notches on North and East Edges. A mound of Stone 2 1/2 ft Base

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

1ft High Found West of Corner
A Pine 17" Dia Brs S70°W 421Ks Dist, with scribe mks "T17SR11E S29" on open Double Blaze

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Established By _____

Agency

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

970' S. of ROAD.

Signature

Title

Division

Headquarters

Date

7100-52-(3/68)

Dan Sankwich

Survey Tech.

7/76

4

5

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

AT Cor PT. set A $2\frac{1}{2}'' \times 28''$ I.P. 20" in Grnd. RSG. 10"
 Orig stone Deposited Along side I.P.

ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

A Pine 12" Brs N $50\frac{3}{4}^\circ$ E, 44 $\frac{1}{2}$ IKs MKd T17SR11ES21BT
 A Pine 14" Brs S $57\frac{1}{4}^\circ$ E 98 $\frac{1}{2}$ IKs MKd T17SR11ES28BT
 A Pine 6" Brs N $46\frac{3}{4}^\circ$ W 52 IKs MKd T17SR11ES20BT
 BT Tags Posted

Work Done By Joe Garrison Title BLM Date 7/76 State Registration No. _____
 or Agency _____ Date _____

Certified Cor. Record Prepared? Yes No Filed At: _____

REMARKS

Index File No. 0969 T. 17 R. 11 M. Tract or Surv. No. _____ Cor. R-09³

USDA-FOREST SERVICE

Index

File No. 1167

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No. R-11

T 17 S. R. 11 E.

R.D. SISTERS

County DESCHUTES

s/4 Cor. Sec. 21


Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON

N/4 Cor. Sec. 28

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE MKD. 1/4
16" X 11" X 9"

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

NONE MADE

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature _____ 7

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency _____ 8

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

990' E. of ROAD

Signature

D.T. W. MILLER

Title

S.A.

Division

S.O. Headquarters

9/81

Date


10/79

D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 32" B-C S.P. RSG. 4" ABOVE GROUND.
 BURIED ORIG. STONE ALONGSIDE OF PIPE.



ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

11" PP S21°E 59⁹/₁₆ FT. TO 604 NL. IN W. SIDE, MKD. N/4 S28 BT
 6" PP N11°E 24⁶⁰/₁₀₀ FT. TO 604 NL. IN W. SIDE, MKD. S/4 S21 BT

Work Done By ROMAN Title PLS Date 9/81 State Registration No. OR-702
 or Agency
 Certified Cor. Record Prepared? Yes No Filed At DESCH. G. SURVEYORS OFFICE Date

REMARKS

Index File No. 1167 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. R-11

Index File No. 1367

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No.

Cor. No. R-13

T 17 S. R. 11 E.

R.D. SISTERS

County DESCHUTES

SE COR. SEC. 21


Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON

NW COR. SEC. 27

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

22 ~~KNITTING NEEDLES~~ APPROX. LOCATION
STONE 2" X 12" X 8" MKD. W/3 NOTCHES ON EAST
END ~ STONE LYING "FLAT" ON SURFACE.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

24" PP MKD. R 11E S 22

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

± 400' E. of ROAD #1139
± 400' W. of DIRT ROAD

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
 Agency _____

Signature D.T. W. MILLER

Title S.A.

Division SO. Headquarters

Date 9/81


Date 10/79

D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 32" B-C S.P. RSG. 6" IN MOUND of STONES.
 PLACED ORIG. STONE ON "SHELF" AT NW SIDE of PIPE



ACCESSORIES: DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

24" PP N64°E 25⁹⁴ FT. TO 60d NL. IN NW SIDE, MKD. (ORIG. BT)
 12" PP S28°E 48³³ FT. TO 60d NL. ± 7" HI IN NW SIDE, MKD. T175 R11E S27 BT
 9" PP S40°W 20⁰⁸ FT. TO 60d NL. IN SE BASE, MKD. T175 R11E S28 BT
 8" PP N37°W 50¹³ FT. TO 60d NL. IN SW BASE, MKD. T175 R11E S21 BT

Work Done By R. OMAN Title PLS Date 9/81 State Registration No. OR-702
 or Agency

Certified Cor. Record Prepared? (Yes) No Filed At DESCH. Co. SURVEYORS OFFICE Date

REMARKS

Index File No. 1367 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. R-13

Index

File No. 1567

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No. R-15

T 17 S. R. 11 E.

R.D. SISTERS

County DESCHUTES

1/4 COR. SEC. 22

Merid. WILLAMETTE

N.F. DESCHUTES


State OREGON

N/4 COR. SEC. 27

CORNER DIAGRAM

22

DESCRIBE CORNER MONUMENT FOUND



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

2

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

7

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

3

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

8

*Should be BLM Mon but
No Card in File by T. DeWalt
Mon searched 1980*

Signature

Title

Division

Headquarters

Date

D-7100-52 (10/78)


4

5

*NOT ON LISTING
BLM List 1976*

CORNER RECORD (PERPETUATION)

MONUMENT : DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES : DESCRIBE NEW BT's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor Record Prepared ? Yes No Filed At _____ Date _____

REMARKS

Index File No. 1567 T. 17 S., R. 11 E., W. M.

Tract or Surv. No.

Cor. R-15

USDA-FOREST SERVICE

Index

File No. 1767

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No. R-17

T 17 S. R. 11 E.

R.D. SISTERS

County

DESCHUTES

SE COR. SEC. 22

Merid. WILLAMETTE


N.F. DESCHUTES

State

OREGON

NW COR. SEC. 26


CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

1" PIPE w/ 1/2" CAP

MKD.



DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

" N60E 17E (ORIG.)

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

7

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency

8

Signature

D.T.

Title

S.A.

Division

Headquarters

Date

10/79


D-7100-52 (10/78)

4

5

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW ST's WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor Record Prepared ? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 1767 T. 17 S., R. 11 E., W. M.

Tract or Surv. No.

Cor. R-17

Index
File No. 0169

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or
Survey No. _____
Cor. No. T-01

T T817S. R. 11 E. R.D. BEND County DESCHUTES W/4 COR SEC 30
Merid. WILLAMETTE N.F. DESCHUTES State OREGON

T. 17 S.

SEE: T. 17 S. - R. 10 E.

T-25

25 ○ 30

R. 10 E.
R. 11 E.

SF/NF

T-01

USDA-FOREST SERVICE

Index File No. 0569

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No. _____

Cor. No. 7-05

T 17 S. R. 11 E.

R.D. SISTERS County DESCHUTES


E/4 Cor. Sec. 30

Merid. WILLAMETTE

N.F. DESCHUTES State OREGON

W/4 Cor. Sec. 29

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
Agency

Signature N.K.

Title S.A.

Division _____


Headquarters S.O.

Date 10/80

D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

10

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

11

REMARKS

Index File No. 0569 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. T-05 12

12

13

Index
File No. 0569


CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or
Survey No. _____

Cor.
No. T-05

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES E/4 COR. SEC. 30
Merid. WILLAMETTE N.F. DESCHUTES State OREGON W/4 COR. SEC. 29

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature N.K.

Title S.A.

Division _____

Headquarters S.O.

Date 10/80

USDA-FOREST SERVICE

Index
File No. 1369


CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No. _____ Cor. No. T-13

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES E/4 1/4 Sec 28
Merid. WILLAMETTE N.F. DESCHUTES State OREGON W/4 1/4 Sec 27

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

SP/NF

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

17" PINE STUMP S19°W MKD. BT
30" STUMP IN LOCATION of SE BT

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

+500' N. of DIRT ROAD
E 150' E. of 2nd DIRT ROAD

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____

Signature D.T. W. MILLER Title S.A. Division SO. Headquarters 9/81 Date 10/79 D-7100-52 (10/78)

USDA-FOREST SERVICE

Index
File No. 1369

CORNER RECORD (SEARCH)


(Ref. FSM 7151.4)

Tract or Survey No. _____
Cor. No. T-13

T 17 S. R. 11 E. R.D. SISTERS County DESCHUTES E/4 Cor Sec 28

Merid. WILLAMETTE N.F. DESCHUTES State OREGON W/4 Cor Sec 27

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

SP/NF

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

17" PINE STUMP S19°W MARK. BT
30" STUMP IN LOCATION of SE BT

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

±500' N. of DIRT ROAD
±150' E. of 2nd DIRT ROAD

PLANE COORDINATE POSITION DATA


State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency

Signature D.T. W. MILLER Title S.A. Division 20 Headquarters 9/81 Date 10/79 D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 32" B-C S.P. RSG. 2" ABOVE GROUND.



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

9" PP N09°W 23⁵⁰ FT. TO 60d NL. IN E. BASE, MKD. E/4 S28 BT

6" PP N60°E 4⁹³ FT. TO 60d NL. IN SE BASE, MKD. W/4 S27 BT

Work Done By R. OMAN Title PLS Date 9/81 State Registration No. OR-702
or Agency

Certified Cor. Record Prepared? Yes No Filed At DESOB. CO. SURVEYORS OFFICE Date

REMARKS

Index File No. 1369 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. T-13

Index

File No. 0171

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or
Survey No. _____

Cor.
No. V-01

T 17 S. R. 11 E.

R.D. BEND

County DESCHUTES

Merid. WILLAMETTE


N.F. DESCHUTES

State OREGON

T. 17 S.

SEE: T. 17 S. - R. 10 E.

V-25




JF/NF

Index File No. 0571

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or Survey No. _____
Cor. No. V-05

T 17 S. R. 11 E. R.D. JISTERS County DESCHUTES SE COR. SEC. 30
Merid. WILLAMETTE N.F. DESCHUTES State OREGON NWCOR. SEC. 32



DESCRIBE CORNER MONUMENT FOUND _____

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

BROOKS TAG ON 11" PINE FROM WHICH A KNITTING NEEDLE BEARS N80°E 8'
10" PP W/ BROOKS TAG "APPROX. SEC. COR"
34" PP STUMP W/ ILLEG. LOC. POSTER
30" STUMP W/ LOC. POSTER

NO MARKS BLG 175'

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER _____


PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____

Signature N.K. Title S.A. Division _____ Headquarters S.O. Date 10/80 D-7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT



MONUMENT STAMPED

ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

Work Done By _____ Title _____ Date _____ State Registration No. or Agency _____
Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

REMARKS

Index File No. 0571 T. 17 S., R. 11 E., W.M.

Tract or Surv. No.

Cor. V-05


Index File No. 0571

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or Survey No. _____
Cor. No. V-05

T 17 S. R. 11 E. R.D. JISTERS County DESCHUTES SE COR. SEC. 30
Merid. WILLAMETTE N.F. DESCHUTES State OREGON NW COR. SEC. 32

CORNER DIAGRAM
S. 30



DESCRIBE CORNER MONUMENT FOUND

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND
BROOKS TAG ON 11" PINE FROM WHICH A KNITTING NEEDLE BEARS N 80° E 8'
10" PP W/ BROOKS TAG "APPROX. SEC. COR"
34" PP STUMP W/ ILLEG. LOC. POSTER
30" STUMP W/ LOC. POSTER
NO MARKS BLE 175' BLE

PHOTO IDENTIFICATION DATA
Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

PLANE COORDINATE POSITION DATA
State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____

Signature N.K. Title S.A. Division _____ Headquarters S.O. Date 10/80 D-7100-52 (10/78)

USDA-FOREST SERVICE

Index File No. 1371

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or

Survey No.

Cor.

No.

V-13

T 17 S. R. 11 E.

R.D. SISTERS

County

DESCHUTES

SW Cor. Sec. 27

Merid. WILLAMETTE


N.F. DESCHUTES

State

OREGON

NE Cor. Sec. 33

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE 17" X 11" X 7" LYING ON GROUND ~
NO MARKS.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

21" PP MKD. T175 R11E S

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature _____

PLANE COORDINATE POSITION DATA

State _____ Zone _____

X _____

Y _____

Estab. By _____

Agency _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

± 50' S. of CINDERED ROAD
± 50' E. of SAME ROAD

Signature D.T. W. MILLER

Title S.A.

Division S. O. Headquarters


Date 9/81

7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 32" B-C S.P. RSG. 8" ABOVE GROUND
IN A MOUND OF STONES.



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

- 21" PP S27°W 23⁰⁹ FT. TO 60d NL. IN UNW BASE, (OR 16-1BT)
- 9" PP S84°W 15⁹¹ FT. TO 60d NL. IN S. BASE, MKD. T175 R11E S28 BT
(NO TREE AVAILABLE IN SEC. 28)
- 8" PP N89°E 15⁵⁹ FT. TO 60d NL. IN S. SIDE, MKD. T175 R11E S27 BT
- 5" PP S36°E 15⁰² FT. TO 60d NL. IN SW SIDE, MKD. X BT

Work Done By R. OMAN Title PLS Date 9/81 State Registration No. or Agency OR-702

Certified Cor. Record Prepared? Yes No Filed At DESCH. CO. SURVEYORS OFFICE Date _____

REMARKS

USDA-FOREST SERVICE

Index File No. 1371

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or Survey No.

Cor. No. V-13


T 17 S. R. 11 E. Merid. WILLAMETTE

R.D. SISTERS County DESCHUTES State OREGON

NE Cor. Sec. 27

SW Cor. Sec. 27
NE Cor. Sec. 33

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

STONE 17 "X 11" X 7" LYING ON GROUND ~
NO MARKS.

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

~~21"~~ 21" PP MKD. T175 R11E S

PHOTO IDENTIFICATION DATA

Photo No. _____
Filed At. _____
Object Ident. _____
Ident. By _____
Signature _____

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

± 50' S. of CINDERED ROAD
± 50' E. of SAME ROAD

PLANE COORDINATE POSITION DATA

State _____ Zone _____
X _____
Y _____
Estab. By _____
Agency _____

Signature D.T. W. MILLER

Title S.A. Division S. O. Headquarters

Date 9/81 10/79 7100-52 (10/78)

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

SET 2 1/2" X 32" B-C S.P. RSG. 8" ABOVE GROUND
IN A MOUND OF STONES.

T175	
R	28 27
E	33 34
PLS 02-702	
1981	

MONUMENT

ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

- 21" PP S27°W 23⁰⁹ FT. TO 60d NL. IN UNW BASE, (OR 16-15T)
- 9" PP S84°W 15⁹¹ FT. TO 60d NL. IN S. BASE, MKD. T175 R11E S28 BT
(NO TREE AVAILABLE IN SEC. 28)
- 8" PP N89°E 15⁵⁹ FT. TO 60d NL. IN S. SIDE, MKD. T175 R11E S27 BT
- 5" PP S36°E 15⁰² FT. TO 60d NL. IN SW SIDE, MKD. X BT

Work Done By R. OMAN Title PLS Date 9/81 State Registration No. OR-702
or Agency

Certified Cor. Record Prepared? Yes No Filed At DESCH. CO. SURVEYORS OFFICE Date

REMARKS

Index
File No. 0173

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or
Survey No. _____
Cor.
No. X-01

T 17 S. R. 11 E. R.D. BEND County DESCHUTES W/4 SEC 31

Merid. WILLAMETTE N.F. DESCHUTES State OREGON

T. 17 S.

SEE: T. 17 S - R 10 E


X-25

SF/NF

36

31

R. 10 E.
R. 11 E.



Index
File No. 0175

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or
Survey No. _____

Cor.
No. 2-01

T 17 S. R. 11 E. R.D. BEND County DESCHUTES SW COR. 31

Merid. WILLAMETTE N.F. DESCHUTES State OREGON

SEE ; T 18 S - R. 10 E.

A-25

B.C. by HCH 1981

Index
File No. 0375

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Contract or

Survey No.

UG1004

Cor.

No. 2-03

T ~~17~~ 18 S. R. 11 E. R.D.

Bend

County

Deschutes

5/4

Cor. of

Merid. WILLAMETTE N.F.

DESCHUTES

State

OREGON

Section

31

SEE: A-03 T. 18 S., R. 11 E., W.M.

BCSP

Index

File No. 0575

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Contract or Survey No. 001004

Cor. No. Z-05

T 17 S. R. 11 E. R.D.

Bend

County Deschutes

Cor. of

Merid. WILLAMETTE

N.F.

DESCHUTES

State

OREGON

Section

SEE: A-05

T. 18 S., R. 11 E., W.M.

BCSP

Index

File No. 0775

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Contract or

Survey No.

001004

Cor.

No.

Z-07

T 17 S. R. 11 E. R.D.

Bend

County

Deschutes

3/4

Cor. of

Merid. WILLAMETTE N.F.

DESCHUTES

State

OREGON

Section

32

SEE: A-07 T. 18 S., R. 11 E., W.M.

BASF

Index
File No. 0975 CORNER RECORD (SEARCH) Contract or Survey No. 001004 Cor. No. Z-09
(Ref. FSM 7151.4)
T 17 S. R. 11 E. R.D. Bend County Deschutes Cor. of
Merid. WILLAMETTE N.F. DESCHUTES State OREGON Section 1

SEE: A-09 T. 18 S., R. 11 E., W.M.

BCSP

Index
File No. 1175

CORNER RECORD (SEARCH) on Tract or
(Ref. FSM 7151.4) Survey No. 2-11

T 17 S. R. 11 E. R.D. Bend County Deschutes S/A Cor. of
Merid. WILLAMETTE N.F. DESCHUTES State OREGON Section 33

SEE: A-11 T. 18 S., R. 11 E., W.M.

See: 001004 *

Index
File No. 1275 CORNER RECORD (SEARCH) (Ref. FSM 7151.4) Tract or Survey No. Cor. No. Z-12
T 17 S. R. 11 E. R.D. BEND County DESCHUTES E/16 Cor. Sec. 33 1/4
Merid. WILLAMETTE N.F. DESCHUTES State OREGON

SEE: A-12
T 18S R 11E

SF/NF


Index
 File No. 21375
 T 7 R. 11 E
 Merid. Will

CORNER RECORD (SEARCH)
 (Ref. FSM 7151.4)

Tract or Survey No. 000812 Cor. No. 2-13
 County Deschutes SE Cor Sec 33
 State Oregon NW Cor Sec 3

N.F. Deschutes

CORNER DIAGRAM



DESCRIBE CORNER MONUMENT FOUND

AT Orig. Cor Secs 3, 4, 33, & 34 on North Bdy T18S R11E mon By D. Thompson, Pengra David in 1869 with a Basalt Stone 17" x 14" x 17" (Rec 14" x 12" x 5"), Firmly set 8" in Grnd, with a small M.S., mKd with 3 notches on 2

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

E. & W. Edges. Cor Pt. has Been Perpetuated with a 1" I.D. Iron Pipe Protruding Approx. 6" Above Grnd & Embedded in Concrete. This Pipe is situated South of True cor Pt. 1 ft Dist. The SW Cor of a 4 Strand Barbed wire Fence Line Extending N & S. From Cor

DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORNER

Pt. Brs N.E. of Cor @ 1' Dist.
 A well-Maintained Dirt Rd., 10Ks wide, @ Brs N 65° E & S 65° W, Brs South From cor Pt. at 19 1Ks Dist.

PHOTO IDENTIFICATION DATA

Photo No. _____
 Filed At. _____
 Object Ident. _____
 Ident. By _____
 Signature _____ 7

PLANE COORDINATE POSITION DATA

State _____ Zone _____
 X _____
 Y _____
 Estab. By _____
 Agency _____ 8


Signature _____ Title _____ Division _____ Headquarters _____ Date _____ 4

Dan Sankwich Survey Tech SO 7/76 7100-52-(3/68) 5

CORNER RECORD (PERPETUATION)

MONUMENT: DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

AT Cor Pt. Set A $2\frac{1}{2}$ " x 28" IP. 24" in Grnd,
Orig stone Deposited A long side IP.



9

ACCESSORIES : DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

- A Pine 12" Dia. Brs. N $74\frac{1}{2}$ °E, 38 $\frac{1}{2}$ Ks Dist. MKd T175R11E S34 BT
- A Forked Pine 15" Diam Brs. S $80\frac{1}{2}$ °E 52 Ks Dist. MKd T185R11E S3 BT
- A Pine 14" Dia. Brs. S $40\frac{1}{4}$ °W, 47 Ks Dist. MKd. T185R11E S4 BT
- A Pine 12" Dia. Brs. N $84\frac{1}{4}$ °W, 47 Ks Dist. MKd. T175 R11E S33 BT

10

Work Done By Joe Garrison Title BLM Date 7/76 State Registration No. _____
or Agency _____

Certified Cor. Record Prepared? Yes No Filed At: _____ Date _____

11

REMARKS

12/97 see #0001004

No Record of Perpetuated Iron Pipe in Country
Surveyor Office.

8/90 - Fred Ast, PLS 1938, FD BCSP.

B.T. Tags Posted

12

Index File No. 1375 T. 175. R. 11 E. M.

Tract or Surv. No. _____

Cor. 2-1-3

13

Index
File No. 1575

CORNER RECORD (SEARCH) Contract or
(Ref. FSM 7151.4) Survey No. 2-15

T 17 S. R. 11 E. R.D. Bend County Deschutes 3/4 Cor. of
Merid. WILLAMETTE N.F. DESCHUTES State OREGON Section 34

SEE: A-15 T. 18 S., R. 11 E., W.M.

BCSP
(unverified)



USDA-FOREST SERVICE

Index
File No. 1775

CORNER RECORD (SEARCH)

(Ref. FSM 7151.4)

Tract or
Survey No. _____Cor.
No. 2-17T 17 S. R. 11 E. R.D. BEND County DESCHUTES SE Cor Sec 34
Merid. WILLAMETTE N.F. DESCHUTES State OREGON NW Cor Sec 2SEE: A-17
T18S B11E

T.V. CO.

Index
File No. 2175

CORNER RECORD (SEARCH)
(Ref. FSM 7151.4)

Tract or
Survey No. Cor. Z-21
No. 2-21

T 17 S. R. 11 E. R.D. BEND County DESCHUTES SE Cor Sec 35
Merid. WILLAMETTE N.F. DESCHUTES State OREGON NW Cor Sec 1

SEE: A-21
T18S R11E

SF/NF

2-21

USDA-FOREST SERVICE

Index File No. 2575

CORNER RECORD (SEARCH)

(Ref. FSM 7.151.4)

Tract or Survey No.

Cor. No. **Z-25**

T. 17 S. R. 11 E. R.D. BEND

County DESCHUTES

SEC. COR. of Sec. 36 | 31

Merid. WILLAMETTE

N.F. DESCHUTES

State OREGON

[REDACTED] | 6

CORNER DIAGRAM PER LEGEND


T 17 S

R 11 E R 12 E

S 36 S 31

S 1 S 6

T 18 S



DESCRIBE CORNER MONUMENT FOUND

Found 20"x 10"x 10" Stone (buried 6") with "X" chiseled on stone.

SEE PLAT # 000866 & 000865

DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND

From which:

A 24" burned stump bears N 80° W, (156 lks dist.) 102.96 feet.

A 30" burnes stump (down and disturbed) bears S 72° E, 73.00ft.

A piece with axe mark bears +S 45° W, W + 70.00 ft.

(appears disturbed)

PHOTO IDENTIFICATION DATA

Photo No. _____

Filed At. _____

Object Ident. _____

Ident. By _____

Signature

Corner Legend:

Searched for/Not Found

Evidence Found/Accept.

Permanent Monument

Signature Michael Tye

Title PLSO - 1046

Division _____

Headquarters _____

Date 3-10-78

D-7100-52 (3/79)


CORNER RECORD (PERPETUATION)

MONUMENT DESCRIBE NEW MONUMENT SET, OR WORK DONE TO PRESERVE EXISTING MONUMENT

At the position of the stone, I set a 2 1/2" galvanized iron pipe with a 2 1/2" brass cap attached marked:

I buried the stone alongside NW side of pipe .

MONUMENT SET/STAMPED



ACCESSORIES DESCRIBE NEW BT'S WITNESS OBJECTS ETC. ESTABLISHED, OR WORK DONE TO PRESERVE EXISTING EVIDENCE

1. A 10" ponderosa pine, bears N 55°W, 91.97 ft. Scribed: "T 17S R 11E S 36 BT"
2. A 8", Juniper, bears N 42° 30' E, 84.54 ft. Scribed: " T 17 S R 12 E S 31 BT"
3. A 10", Ponderosa pine, bears S 67° E, 151.01 ft. Scribed: " T 18 S R 12 E S 6 BT"
4. A 12". " " " S 43° W, 58.76 FT. Scribed: " T 18 S R 11 E S 1 BT"

Work Done By Michael W. Tye Title Prof. Land Surveyor Date 3-10-78 State Registration No 1046
 or Agency

PLAT PREPARED OR
 Certified Cor Record Prepared? Yes No Filed At Deschutes Co. SURVEYOR'S OFFICE Date

REMARKS

SEE PLAT # 000866
 000865